

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats?

A satellite map of the Southern United States, showing the Gulf of Mexico and the Atlantic Ocean. The land is green, indicating forest cover, and the water is blue. The title and authors' names are overlaid on the map.

# *The Southern Forest Resource Assessment*

## SUMMARY REPORT

David N. Wear and  
John G. Greis

■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South?

■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## About the Authors

**David N. Wear** is the Project Leader of the Economics of Forest Protection and Management Research Work Unit, Southern Research Station, U.S. Department of Agriculture, Forest Service, Research Triangle Park, NC 27709.

**John G. Greis** is a State and Private Forestry Program Specialist, Southern Region, U.S. Department of Agriculture, Forest Service, Atlanta, GA 30309.

Cover photo: A beautiful spring day in the southeastern United States is seen in this SeaWiFS image. Several smoke plumes are visible including a rather large one that originates in Georgia, midway between the Savannah and Altamaha rivers. A good-sized plume of turbid water can also be seen flushing out of Mobile Bay. Photo courtesy of the SeaWiFS Project, NASA/Goddard Space Flight Center, and ORBIMAGE.

October 2002

**Southern Research Station**  
P.O. Box 2680  
Asheville, NC 28802

# *The Southern Forest Resource Assessment*

---

## S U M M A R Y   R E P O R T

David N. Wear and  
John G. Greis  
USDA Forest Service  
Southern Research Station and  
Southern Region, respectively

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Acknowledgments

The Southern Forest Resource Assessment was a cooperative effort involving contributions from many people and organizations. We wish to express our grateful appreciation to all who contributed to the Assessment, especially the following:

The leaders of the cooperating Federal agencies: Elizabeth Estill and Pete Roussopoulos, USDA Forest Service; John Hankinson, U.S. Environmental Protection Agency; Sam Hamilton, U.S. Fish and Wildlife Service; and representatives of cooperating State agencies: Fred Allen, Chairman of the Southern Group of State Foresters; and Greg Duffy, President of the Southeastern Association of Fish and Wildlife Agencies, who initiated and lent support to completion of the Assessment.

The Assessment Planning Team, comprised of Heinz Mueller, Ben West, and Sharon Osowski (U.S. Environmental Protection

Agency); Lee Barclay and the late Tyler Sykes (U.S. Fish and Wildlife Service); Jim Williamson and Harold Draper (Tennessee Valley Authority); Tommy Loggins (Georgia Forestry Commission); Brant Miller (Tennessee Wildlife Resources Agency); and David Hoge (USDA Forest Service), who provided guidance and agency coordination from the Assessment's inception to its completion.

The Assessment Team, comprised of the individual chapter authors and coauthors, and the many individuals who assisted them in the preparation and peer review of their chapters.

The Public Affairs Staff of the USDA Forest Service, Southern Region and Southern Research Station, especially Angela Coleman, Tony Dixon, Carol Ferguson, and Terry Seyden, as well as the late Bruce Kinzel, who assisted with public meetings and prepared and managed the entire communications effort from start to finish.



Nancy Walters (USDA Forest Service, Southern Research Station), who provided invaluable assistance in the design and facilitation of team meetings throughout the process.

Bruce Jewell (USDA Forest Service, Southern Research Station), whose advice and guidance on the public involvement process ensured that interested parties were included and enabled to participate in a meaningful way.

The interested public, who worked from the beginning to the end of the Assessment to make certain that it objectively addressed the issues of vital interest to the public. Interest in the Assessment and its findings has been intense, and that bodes well for southern forests.

John Pye (USDA Forest Service, Southern Research Station), who designed and managed the Assessment Web site and the information structures that allowed the process, the

report, and the data to be accessible and user-friendly for the authors and the public.

Renee Boozer (USDA Forest Service, Southern Research Station), for her diligence in managing the correspondence of the Assessment.

The Communications Office (USDA Forest Service, Southern Research Station), especially Carol Ferguson, Diana Corbin, and Rod Kindlund for the design and production of the final reports.

Bob Biesterfeldt, the dean of forest science editors, for his timely and highly professional editing services.

The Greis and Wear families, whose patience and support during the 3-year Assessment period allowed the coleaders to concentrate on the Assessment and to travel widely to ensure its success.

*Dave Wear and John Greis*

Coleaders  
Southern Forest Resource Assessment

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Preface

The Southern Forest Resource Assessment was initiated in 1999 as a result of concerns raised by natural resource managers, the science community, and the public regarding the status and likely future of forests in the South. These included changes to the region's forests brought about by rapid urbanization, increasing timber demand, increasing numbers of satellite chip mills, forest pests, and changing air quality. In response to these issues, leaders of four of the region's Federal natural resource agencies (USDA Forest Service, U.S. Environmental Protection Agency, U.S. Fish and Wildlife Service), and the Tennessee Valley Authority, agreed to work together to provide a careful evaluation of the overall condition and ongoing changes of southern forests. State forestry and fish and wildlife agencies were invited to take part and have actively contributed to the effort. The USDA Forest Service, through the Southern Region and Southern Research Station, has provided overall leadership.

The Technical Report (General Technical Report SRS-53) and this Summary Report are the culmination of more than 3 years of effort by more than 25 scientists and analysts from the above agencies as well as southern universities. More than 100 scientists from universities, State and Federal agencies, industry, and conservation organizations provided peer reviews to enhance the reports' accuracy and completeness. This Summary Report is intended to provide its reader with an overview of the many forces of change affecting southern forests and the changes they produce. It summarizes the detailed results reported by Assessment Team members in individual chapters of the full Technical Report. The information contained in the body of the Assessment should enhance public understanding of southern forests, inform public debate, and improve public policies that result.

# Contents

<b>Introduction</b> .....	<b>1</b>
How the Assessment Was Conducted .....	2
Conditions of Southern Forests .....	4

<b>Forces of Change</b> .....	<b>7</b>
Forecasting Change .....	8
Land Markets .....	9
Timber Markets .....	12
Social Institutions .....	16
Biological Factors .....	18
Physical Factors .....	20
Interactions .....	22

<b>Social and Economic Systems</b> .....	<b>23</b>
Social Context .....	24
People and Forests .....	27
Wood Products .....	30
Recreation .....	35
Quality of Life .....	40

<b>Forest Area and Conditions</b> .....	<b>43</b>
Forest Area and Ownership .....	43
Broad Forest Types .....	46

Landscape Structure .....	48
Forest Inventory .....	51
Timberland Productivity .....	53

<b>Terrestrial Ecosystems</b> .....	<b>57</b>
Abundant Forest Communities .....	58
Rare Forest Communities .....	64
Effects of Land Use Changes .....	67
Effects of Forest Management .....	69
Wildlife Species of Concern .....	72
Conservation Issues .....	75

<b>Water Quality, Wetlands, and Aquatic Ecosystems</b> .....	<b>77</b>
Water Quality .....	78
Forested Wetlands .....	80
Aquatic Species of Concern .....	84
Conservation Issues .....	89

<b>Discussion</b> .....	<b>91</b>
Broad Findings .....	91
Subregions of Concern .....	96
Implications for Ongoing Programs .....	100
Knowledge Gaps and Scientific Uncertainties .....	102

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?







Mount Nebo at the Petit Jean State Park in Arkansas.

B. Lea

## Introduction

The South's forests are expansive, diverse, and vital. Many forces—ranging from development to environmental change to timber management—continue to shape them. Although change has been constant, the rate of change is accelerating and has raised questions about the sustainability of southern forests and the broad complement of values they provide.

Sustainability is a sweeping concept, ensuring opportunities for the future as resources are used today. Pursuing sustainability requires broad and long-term commitment and ongoing monitoring, study, and action. The first step is to understand and anticipate the forces of change that will directly shape forested ecosystems and the social factors that are likely to drive those changes. Ultimately, society must manage change to achieve sustainability.

The Southern Forest Resource Assessment documents and analyzes the many factors that are affecting the forests of 13 Southern States (fig. 1). Our goal has been to answer several specific questions about southern forests and their uses, and, in the process, to create a comprehensive base of information about them. This undertaking is complex, given the multiple factors that influence forests, the diversity of the region's people and biota, and the history of land and resource uses.

The South has a strong regional identity that is shaped in large part by its agrarian past and the predominantly private ownership of its land. With more than 5 million private owners controlling 89 percent of southern forests, forest area and conditions are influenced by diverse landowner interests and objectives. An ever-changing patchwork of forest uses and conditions has resulted.




Figure 1—The region examined by the Southern Forest Resource Assessment.

Swamp in South Carolina.



B. Lea

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of forest owners? ■ How do forests have they differ by current forest? ■ What owners to how are formed? employment ■ What for forest-commodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing, new technologies influence forest management? ■ What are the future of biological and disease health of the South's forests, and what they likely affect it in have abiotic factors, environmental stressors such as, influenced the overall South's forests, and what effects likely to be? ■ What history, status, and likely future of watersheds in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ What are the forest management activities and forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Introduction

### How the Assessment Was Conducted

Not surprisingly, interest in these forests extends far beyond landowners to all who use their varied goods and services. As organizers of this Assessment, we have tried to convene these many interests, elucidate and analyze their concerns with science and data, and present findings in a useful way (fig. 2). Monitoring change at a broad, multi-State scale and describing cumulative changes is a logical and important role for government in the area of private forestry.

This Assessment was organized around 23 questions that summarized public concerns about southern forests and their uses (table 1). These questions were refined during a process that involved considerable public review in venues ranging from large meetings to one-on-one discussions. More than 750 people participated in the meetings; hundreds more provided written input. Once the questions were finalized, a rapid scientific assessment process was developed and employed to address each question using available knowledge and data. Each question was addressed by subject experts who comprised the Assessment Team, and their work is presented

as individual chapters in the Assessment's Technical Report. Data used in the Assessment have been assembled and made available through a public Web site@<http://www.srs.fs.fed.us/> sustain. This report synthesizes and provides some interpretation of the detailed information contained in the Technical Report, but does not provide an exhaustive compilation of all of its findings.




Figure 2—Flow chart of the Southern Forest Resource Assessment process.

Table 1—Major questions addressed during the Southern Forest Resource Assessment (each question is addressed in a chapter of the technical report)

Chapter	Section	Assessment question	Chapter	Section	Assessment question
1	Terrestrial	What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South?	13	Timber	What are the history, status, and projected future demands for and supplies of wood products in the South?
2	Terrestrial	What are the history, status, and projected future of native plant communities in the South?	14	Timber	What are the status and trends of forest management practices in the South?
3	Terrestrial	What are the likely effects of expanding human populations, urbanization, and infrastructure development on wildlife and their habitats?	15	Timber	How might existing and new technologies influence forest operations and the resultant conditions of forests?
4	Terrestrial	What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South?	16	Health	What are the history, status, and projected future of southern forests?
5	Terrestrial	What conditions will be needed to maintain animal species associations in the South?	17	Health	How have biological agents including insects and disease-causing organisms influenced the overall health of the South's forests, and how will they likely affect it in the future?
6	Social	How have land uses changed in the South, and how might changes in the future affect the area of forests?	18	Health	How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests and what are future effects likely to be?
7	Social	What are the attitudes and values of southern residents toward forests and their management, how have they changed over time, and do they differ by demographic groups?	19	Aquatic	What are the history, status, and likely future of water quality in southern watersheds?
8	Social	How do current policies, regulations, and laws affect forest resources and their management?	20	Aquatic	What are the history, status, and likely future of forested wetlands in the South?
9	Social	What motivates private forest landowners to manage their forest land, and how are their management objectives formed?	21	Aquatic	How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds?
10	Social	What role do forests play in employment and local economies in the South?	22	Aquatic	What are the implementation rates and effectiveness of BMP's in the South?
11	Social	What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South?	23	Aquatic	What are the history, status, and likely future of aquatic habitats and species in the South?
12	Social	How do forests and their uses influence the quality of life in the South?			

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease-causing organisms influenced the overall health of the South's forests, and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the subregion-based rec uses of forests and of life in the status and supplies? ■ What a managem might ex influence condition history, southern agents i influence forests and the futur including as air po health of are futur are the h of water watershed and likely South? ■ activities water q designate ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Introduction

The Assessment effort was designed by participating agencies as a two-tiered approach. The Summary Report and the Technical Report represent the first tier, a broad comprehensive assessment of resource questions. The second tier will begin by identifying small areas within the South for additional study at finer scales. Findings from the broad-scale assessment will be used to identify areas where forces and implications of change are currently strongly focused or are expected to be strongly focused. The number of subregional assessments sponsored by

the Assessment will depend on availability of funding and other resources. Specific questions to be addressed will be determined by the issues faced in each area and will be defined at a later date. In addition, the findings of the Assessment coupled with the identification of small areas may prove useful for focusing the efforts of future researchers.

Brice Creek on the Croatan National Forest in North Carolina.



B. Lea

## Conditions of Southern Forests

The strong regional identity of the South belies its broad ecological and cultural diversity. Its landscape is a patchwork of land uses and forest conditions. Social and ecological systems do not develop in isolation, and the use of land and ecosystems has had a long-standing influence on economic systems as well as on other aspects of life and livelihood in the South. The region's diversity and complexity of landscape, economics, and culture also preclude general statements and prescriptions regarding southern forests.

The South has been a heavily worked landscape. Its forests are, almost without exception, the result of multiple disturbances and land use changes. Nearly every forested acre



A. Tiarks

Long-term soil productivity study in Louisiana.



in the South has been harvested at least once in the last two centuries. Prior to European settlement, Native Americans modified the composition and structure of forests with fire and crop cultivation. Following European settlement, three historical epochs in land use and resource extraction both shaped the region's landscape and influenced its cultural history. They provide lessons regarding exploitation, management, and renewal.

Agricultural exploitation on a landscape scale began in the 17<sup>th</sup> century and reached its zenith in the late 19<sup>th</sup> century as a vast cotton industry stretched from the Atlantic to Texas. Other crops supplanted cotton as the boll weevil ran its course, and all have had influences on the land. A second epoch involving widespread timber exploitation in the first part of the 20<sup>th</sup> century had its roots in the disposal of a large public domain in the years immediately after the Civil War. The timber industry migrated to the South after timber stocks were depleted in the Lake States. Some 20 years of extensive logging heavily depleted southern timber stocks. By the beginning of the Great Depression, much of the region was forest-resource poor and its soil greatly degraded. Wholesale land abandonment followed and set the stage for the third epoch, a 40-year period of regrowth of southern forests.

Current conditions and opportunities reflect this history of use. For example, much of the natural pine area originated from the seeding of abandoned agricultural fields. Settlement and agricultural development permanently displaced various




Figure 3—Shares of areas in southern counties in 1992 in forest [Multi-Resolution Land Characteristics land-cover maps. (Source: Chapter 6, Figure 17a)].

wildlife species and led to extinctions. Current sediment loads in many streams are largely the result of agricultural activities and logging in the 19<sup>th</sup> century. These sediment loads continue to influence aquatic ecosystems.

The South is now a heavily forested region. Forests cover more than 60 percent of most States (fig. 3). Agriculture dominates on the upper Atlantic Coastal Plain, the Mississippi Alluvial Valley, the Interior Plateau, and the Ridge and Valley regions of Tennessee and Virginia. Elsewhere, forests cover an even greater share of the landscape.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What are the historical and projected future impacts of human activities on wildlife? ■ How have human activities in the South and how have they affect the status and projected future of forests and how do they differ by region? ■ How do current forest management practices, and laws affect forest management? ■ What are the historical and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



College students bringing conservation education to increasing diverse populations at summer camps throughout the South.

The broad ranges of ecological conditions that comprise the region demonstrate that its forests are diverse (fig. 4). Their productivity and sensitivity to change vary greatly, reflecting continued reshaping in response to several modern forces of change.

In the sections that follow, we examine how several forces of change have shaped and may continue to shape the forests of the South. Forces of change include social, biological, and physical forces. We then examine the history, status, and possible future of southern forests in four different dimensions: social and economic systems, forest area and conditions, terrestrial ecosystems, and aquatic ecosystems. We conclude by examining the broad implications of these findings and list major knowledge gaps and scientific uncertainties.




Figure 4—Ecological sections of the South.

In all sections, the Technical Report is the source of all of our findings. Accordingly, individual sections that follow refer to the specific chapters in the Technical Report from which the findings are drawn, using the naming convention shown in table 1. For example, chapter 6 is the first chapter in the Social and Economic Systems section, which addresses the question: “How have land uses changed in the South, and how might changes in the future affect the area of forests?” Each section is keyed to the chapters that are primary sources of findings. The individual chapters provide indepth analysis of the issues and extensive citations to primary references on each topic and should be reviewed for more detailed information.



Pedestal Rocks Scenic Area  
in the Ozark National Forest.

B. Lea

## Forces of Change

Several forces have shaped and continue to influence the extent, structure, and function of the South's forests. We summarize these forces using five categories: (1) land markets that ultimately determine the area of forests; (2) timber markets that influence the location and extent of timber harvesting, management approaches, and forest conditions; (3) social institutions that organize the behavior of people who own, manage, and use forests in the region; (4) biological factors such as insects and diseases that affect the structure of forests; and (5) physical factors that affect the structure of forests, including hurricanes, fire, and ice storms, as well as the ambient environment.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Forecasting Change

Throughout the Assessment, we place emphasis on understanding historical change and ongoing trends. We also evaluate possible futures. Forecasting changes in forest ecosystems and the values that derive from them is necessarily fraught with uncertainty. Forests and linked social systems change in response to multiple factors. Current trajectories of change often reflect the legacies of historical land use and resource management. Some past actions have irreversible consequences, such as the hydrologic effects of dams. In other cases, altered ecosystems may be restored or renewed. In all situations, the future of forested ecosystems will be the product of the working and adaptation of complex systems and the impacts of unanticipated events.

We use an integrated modeling system to forecast timber harvesting, forest investment, forest growth, and land use up to the year 2040. This system, called the Southeastern Regional Timber Supply Model is described in chapter 13. It incorporates the land use model described in chapter 6. Forecasting these outcomes requires that we make assumptions about the future course of certain core variables. Three key assumptions are:

- Demand for timber products is projected to increase at the rate of 1.6 percent per year. This is the demand projection developed for the South in the most recent Resources Planning

Act assessment (see chapter 13) and is based on trends in macroeconomic variables such as gross national product and population as well as on trends in international timber markets

- Population and income growth projections are those used by the U.S. Global Change Program (see chapter 6). These projections are constructed at the county level and hold especially strong influence on projections of land uses.

- The timber productivity of pine forests is based on the expected adoption of management activities. Projected adoption rates for industrial and nonindustrial private forests are taken from expert surveys of industrial owners and States, respectively (see chapter 14). Assumed productivity rates for pine plantations owned by industry are consistent with management regimes that include site preparation, planting, fertilizer application, thinning, and vegetation control with herbicides or other methods. For nonindustrial owners, the management of plantations is assumed to be somewhat less intensive but still would include site preparation, planting, and some thinning. The resulting increase in productivity from current levels to 2040 is assumed to be 75 percent for industrial owners and 37.5 percent for nonindustrial private owners.

As with any forecasting exercise, assumptions play a large role in outcomes. To understand the sensitivity of models to these assumptions, models were run with alternative scenarios. These are discussed in detail in chapters 6 and 13. In this Summary Report we refer strictly to the base scenario



constructed with the assumptions previously described. Sensitivity analysis reveals that future land uses and forest conditions are especially sensitive to assumptions regarding timber demand and productivity growth. For example, weaker demand growth would lead to lower prices, less harvesting, and less area of forest than projected for the base scenario. If timber productivity growth were not realized, then timber prices and the area of planted pine could be substantially higher than was projected for the base scenario.

In the discussions that follow, we attempt to estimate the direction of change and, in some case, explicitly forecast future conditions. These forecasts explore possible futures and project the potential consequences of ongoing and anticipated changes. They should be viewed as “what could happen,” rather than “what will happen.”

## Land Markets

**Primary Question (chapter 6):**

**How have land uses changed in the South, and how might changes in the future affect the area of forests?**

**Related Question (chapter 20):**

**What are the history, status, and likely future of forested wetlands in the South?**

Private land dominates the southern landscape, and land use is determined by the decisions of individuals and firms as they attempt to put land to profitable and satisfying uses. Land use has changed substantially over the past three centuries, and it continues to change. In many areas, extensive agriculture gave way to forest succession beginning in the early part of the 20<sup>th</sup> century. Today, rapid economic and population growth are fueling urbanization and low-density residential

Low-density residential development fueled by economic and population growth.



Virginia Department of Forestry

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-

commodity? ■ How do we measure the quality of forest land? ■ What is the history, status, and projected future of forested wetlands in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-

■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Forces of Change

development in many parts of the South. Where urban land uses do not dominate, rural land may switch between agriculture and forest cover depending on the prices paid for agriculture and timber products. Historical patterns reveal that some forests are cleared as agricultural prices increase, and marginal cropland and pasture are planted in forest cover as agricultural prices fall.

Our analysis of historical land use change found that:

■ In the period following European settlement (1780 to 1930), land clearing for agriculture and timber production completely

Losses of forest land to urbanization towards the East.



USDA Forest Service

restructured southern ecosystems. Legacies of these massive alterations still influence forest structure, many forest functions, and aquatic systems. For example, severe soil erosion and sedimentation of waterways strongly altered and continue to influence aquatic habitat and species, especially mussel and fish species.

■ Land clearing for agriculture greatly diminished the area of forested wetlands in the South. In the Mississippi River Valley, for example, more than 80 percent of bottomland forests has been converted to agriculture since European settlement (chapter 20).

We analyzed more recent land use changes and the factors that drive them (chapter 6) and found that:

■ There has been essentially no net change of total forest land area since the 1970s (fig. 5), and current forest area equals about 91 percent of that recorded in 1907. However, this stability at the regional level is the result of large offsetting




Figure 5—Land use shares by type for Southern States, 1945 to 1992 (note that Texas and Oklahoma are not included).



subregional changes: much forest has been converted to urban and agricultural uses, and agricultural land has been converted to forests through natural reseeding and tree planting.

■ The rate at which rural land (both forest and agricultural) has been developed for urban and industrial uses in the 13 Southern States increased from about 667,000 acres per year between 1982 and 1992 to about 1.1 million acres per year between 1992 and 1997. Urbanization is forecast to continue at the rate of 1.1 million acres per year through the year 2020. The source of land for new urban uses is both agricultural and forest land.

■ According to forecasting models described in chapter 6, the South could lose about 12 million forest acres (about 8 percent of forest land) to urbanization between 1992 and 2020. These losses are forecast to be concentrated in a few places: the Piedmont and Mountain areas of North Carolina, adjacent Piedmont areas of South Carolina and Georgia, forested areas of northern Florida including the Panhandle, and the Atlantic and Gulf coastal areas. Smaller areas with high rates of loss would include the forests around the cities of Nashville and Birmingham and in northern Virginia between Washington and Richmond (fig. 6). An additional 19 million acres of forest are forecast to be developed between 2020 and 2040.

■ Forecasts indicate that agricultural land will continue to be converted to forest in other parts of the South as rising timber prices encourage tree planting. Forest gains from these sources are projected to be about 10 million acres between 1992 and




Figure 6—Urban-growth scenario forecast of changes in percentages of land in forest land use by county for 1992-2020. Source: Chapter 6, Figure 13a.

New plantations westward should offset losses of forest acreage due to urbanization.



B. Lea

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human population, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future management and access on forests in the South? ■ What are the likely effects of climate change on forests in the South? ■ What are the likely effects of land use changes in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by geographic groups? ■ How do current forest policies, regulations, and laws affect forest management and their management? ■ What are the attitudes of private forest landowners toward their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management in the South? ■ How do forest management technologies and the resultant changes in forest structure and composition affect the projected future of forest biological diversity and disease? ■ What are the likely future effects of the South's climate change on its forests? ■ How will biotic factors, such as invasive species and pests, affect the overall health of the forests, and what are the likely future effects of these stressors? ■ What are the likely future effects of forest management on the history, status, and projected future of wetlands in the South? ■ How do forest management practices influence the quality of habitat, and how do they affect watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



B. Lea

2020. Total forest area is forecast to increase in the Coastal Plain of southwestern Georgia and in a small area centered on the border between eastern North Carolina and Virginia. The largest area of potential forest gains however, is in the lower Gulf Coastal Plain, including large portions of Arkansas, Mississippi, and Louisiana (fig. 6). An additional 15 million acres of agricultural land are forecast to be planted to forest between 2020 and 2040. The net result of these changes is a westward shift in forest distribution. Note that these shifts out of agricultural uses and toward forestry would not logically arise if timber prices were not to rise relative to agricultural prices.

The South leads the United States—and the World—in timber production due to improved technologies and larger facilities.

## Timber Markets

Primary Question (chapter 13):

**What are the history, status, and projected future demands for and supplies of wood products in the South?**

Related Questions (chapters 14 and 15):

**What are the status and trends of forest management practices in the South? How might existing and new technologies influence forest operations and the resultant conditions of forests?**

The South, particularly the Coastal Plain and the Piedmont, contains the most intensively managed forests in the world. This one region of the United States produces more wood products than any other single nation. Timber harvesting, tree planting, and other forest investments have increased, and forest inventories have expanded as harvesting and processing technologies have changed in ways that favor southern timber. Over the past several years, changes in processing technology and in the location of large processing facilities (for example, chip mills and oriented-strand-board mills) have changed the intensity of timber harvesting within subregions of the South.

We examined changes in the world's timber markets and technology, searching for probable effects on markets for






Figure 7—Shares of timber harvest volumes, by USDA Forest Service Region of the United States, 1952 to 1997. Source: Chapter 13, Figure 6.




Figure 8—Removals by destination product, Southwide, all species, 1952 to 1996 (data for 1954 to 1972 all other products include fuelwood). Source: Chapter 13, Figure 14.

the South's forest products (chapters 13, 14, and 15).

We found that:

- Wood production continues to be an important part of the U.S. economy. The United States is the world's largest producer, consumer, and importer of wood products. It is also the second largest exporter of wood products after Canada.

- Technology, public policy, and forest growth have all combined to enhance the South's position and share of the forest products markets. Technology has allowed smaller diameter trees and a wider variety of species to be used in wood products. Public policies have reduced timber harvesting from public land, which is concentrated in the Western United States.

- Forest regeneration and growth have expanded southern timber inventories by 73 percent since the 1950s, and strong

timber markets have encouraged landowners to keep land forested. As a result of these and other factors, the South's timber production more than doubled between 1952 and 1997. Its share of U.S. production rose from 41 to 58 percent and its share of the world's production from 6.3 to 15.8 percent (fig. 7).

- The South provides a great variety of timber products, with no single product dominating. Softwood saw logs represent the largest product share at 28 percent of total output. Softwood pulpwood and hardwood pulpwood now account for 25 and 16 percent of output, respectively (fig 8).

- Since 1952, hardwood pulpwood has experienced the greatest increase in product share, growing from 3 to 16 percent of output. This increase reflects a change in pulping technology that allowed hardwoods to be substituted for more expensive softwoods in the manufacturing of paper products.

What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Forces of Change




Figure 9—Subregional Timber Supply Model projections of total hardwood and softwood removals volumes, in billion cubic feet, by private owners (where NIPF stands for nonindustrial private forest land), 1999 to 2040, under the base scenario.

Models described in chapter 13 forecast that timber production in the United States will increase by roughly a third between 1995 and 2040. Nearly all production increases will come from the South. The South's timber production is forecast to increase by 56 percent for softwoods and by 47 percent for hardwoods between 1995 and 2040 (fig. 9).

Changing wood manufacturing technologies have altered the type and size of timber materials demanded and the location of processing and harvesting (fig. 10). An example is chip mills,




Figure 10—(A) Sawmills in the Southern United States. (B) Other wood-using mills in the Southern United States. Each mark indicates a town or city in which at least one mill was located during mill censuses occurring between 1992 (Virginia) and 1997 (Texas). Source: Chapter 13, Figures 11 and 12.

which have generated debate about timber harvesting in the South. Chip mills sometimes lead to harvesting in areas not previously subject to harvesting. Before the 1990s, pulp mills and manufactured wood panel mills relied heavily on remote log concentration yards and maintained large chipping facilities at the site of panel and pulp manufacture. Today pulpwood-sized logs increasingly are chipped away from the mill as needed. Per unit of volume, moving wood in chipped form is cheaper than moving pulp logs, providing a significant economic benefit to pulpwood consumers and log producers (chapter 13). Harvesting in new areas also leads to changes in local forest conditions that can change wildlife habitat and landscape aesthetics (chapters 4 and 12). However, wood products markets are highly integrated, so it is very difficult to isolate the effects of this or any other technological component from all other demand and supply factors.

Data on chip mill output are limited to recent years. Chip mills processed about 27 percent of pulpwood in the South in 1999. They produced 47 million green tons of chips in 1998, 45 million green tons in 1999, and 39 million green tons in 2000. In 1999, 42 percent of the material processed in chip mills was softwood and 58 percent was hardwood (chapter 13).



The South's timber production is forecast to increase by 56 percent for softwoods and 47 percent for hardwoods.

USDA Forest Service



Large chipping facilities have been supplemented by portable chip mills, which involve cheaper transportation of materials.

USDA Forest Service

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Forces of Change

### Social Institutions

**Primary Question** (chapter 8):

**How do current policies, regulations, and laws affect forest resources and their management?**

**Related Question** (chapter 22):

**What are the implementation rates and effectiveness of BMPs in the South?**

Various social institutions organize people's use of land and resources and therefore affect the structure of forests. Laws and regulations define objectives and prescribe administrative procedures for management of public land. Laws passed by various jurisdictions also influence management of private forest land. Public programs administered through resource management agencies can influence the management and structure of the region's forests.

We evaluated the influences of various social institutions on forest uses and forestry decisions in the South. We analyzed effects of taxes, land use regulations, government subsidies, and forest management standards (chapter 8) and found that:

■ The current income tax code has mixed impacts on long-term investments in forestry; inheritance taxes can encourage forest liquidation and land parcelization.

■ Incentives programs that subsidize tree planting on private land have a long and successful history in the South. This suggests that subsidies can increase forest area and change forest conditions. New programs with explicit wildlife and environmental objectives now complement the older programs that focused exclusively on timber production.

■ In urbanizing areas, a proliferation of local regulations affecting land use and forest management can be seen as one reaction to forest losses and to increasing scarcity of green space. Local regulations affecting forest uses more than doubled in the South between 1992 and 2000. Expanding populations and development will likely continue this trend. Regulatory uncertainty can discourage long-term investments in forest land.

■ While still influencing a relatively small portion of the region, conservation easements and outright purchases of important habitats are becoming increasingly common in the South. This approach can be used to protect wildlife habitats at broad scales on private landscapes.

■ Compared to the number of regulatory statutes that apply to Federal and State land, relatively few are specifically directed at managing private forests. In the vast majority of situations, forestry is affected only when certain activities are feared to have the potential to impair water quality, air quality, or critical habitat for endangered species (chapter 8).



Mitigation of wildfire risk has contributed to a positive environment for investments in forests.

USDA Forest Service

■ Most forestry operations are exempted from the permit requirements of Federal and State nonpoint-source pollution programs. Although provisions exist to encourage operators to meet voluntary BMPs and to bring polluters into compliance, these rely more heavily on education and technical assistance than on fines and penalties (chapter 8).

■ More often than not, implementation and enforcement duties for Federal protective regulatory statutes have been delegated to the States (chapter 8).

■ A combination of factors—including strong markets, private ownership, good market information, and widespread mitigation of wildfire risk—has generated a positive environment for forest investment in the South. A strong competitive advantage explains the large investments wood products industries have made in forests and processing capacity in the South (chapter 10). Investment opportunities for intensive forest management and wood product manufacture have improved relative to other regions of the United States, especially over the last 15 years (chapter 15).

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Forces of Change

### Biological Factors

**Primary Question** (chapter 17):

**How have biological agents including insects and disease-causing organisms influenced the overall health of the South's forests, and how will they likely affect it in the future?**

**Related Question** (chapter 3):

**What are the likely effects of expanding human populations, urbanization, and infrastructure development on wildlife and their habitats?**

Ecological systems are often restructured from within. For example, natural succession favors the replacement of pioneer species with shade-tolerant species. Insect populations can shift from endemic to epidemic status and quickly kill a substantial share of overstory trees. Plant diseases reduce vigor or cause localized mortality and selectively remove certain plant species from the forest. Regeneration and growth that follow mortality can change the species composition of the subsequent forest.

While pathogens, insects, and mortality are natural components of forested ecosystems, land use and management can alter their effects. Introduced nonnative species, which are prevalent in the South, can completely displace native plant and animal species, thereby restructuring forest ecosystems.



Mimosa is one of the nonnative species that have escaped from home sites to nearby forest ecosystems.

*J. Miller*

Cultivating tree species beyond their natural range and altering forest composition can predispose forests to insect and disease outbreaks. Conversely, management strategies and direct intervention can mitigate the spread of and damage caused by these outbreaks.

The Assessment evaluated the dynamics of several biological agents that have had or will likely have a substantial impact on forest ecosystems or the values that people derive from them (chapter 17). We found that:

■ In general, the dynamics of native disease agents and native insects are heavily influenced by the availability and condition of host materials. For those disease agents and insects that target pine species, the concentration of pine forests in some subregions has increased the availability and contiguity of host material (see fig. 11). Mortality caused by insects and diseases, especially southern pine beetle and fusiform rust, could increase commensurate with the expected increase in pine plantations, but this will depend on the degree of management.




Figure 11—Counties in outbreak status for southern pine beetle; a 40-year summary (U.S. Department of Agriculture, Forest Service 1999). Source: Chapter 17, Figure 8.



Altering forest composition can predispose forests to attacks by southern pine beetles and other native insects and diseases.

K. Klepzig

■ Nonnative plants (trees, shrubs, and vines) and animals (birds and mammals) are having large impacts on forested ecosystems. Expanding urban areas will increase the impact of domestic animals on wildlife (chapter 3).

■ Nonnative pathogens and insects generally have a greater potential to restructure forested ecosystems, especially hardwood forests, than do native species because natural enemies of nonnative species are absent or control methods are ineffective at broad scales.

■ The impacts of nonnative pests are expected to grow as a conservation concern in the South. Multiple nonnative insects, such as gypsy moths, and nonnative diseases such as dogwood anthracnose, will especially influence hardwood forest types in the northern portions of the region. An insect, the balsam woolly adelgid, interacting with environmental stressors is causing tree mortality and altering habitat values in the rare spruce-fir ecosystem of the South.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?





L. Kornack

As humans continue to populate forested area, safety and smoke concerns restrict use of prescribed burning as a management tool.



Figure 12—Three month maximum daily ozone exposure for 1990 showing spatial variability in ozone concentrations. Source: Chapter 18, Figure 4.

## Physical Factors

Primary Question (chapter 18):

**How have abiotic factors including environmental stressors such as air pollution influenced the overall health of the South's forests, and what are future effects likely to be?**

Southern forests have evolved under the influence of a number of physical disturbances. Among the most important is fire. Fire-adapted ecosystems are maintained by frequent, low-intensity fires but may be substantially altered by intense fires. The suppression of fire—an objective of public forestry programs throughout much of the 20<sup>th</sup> century—has altered these systems. The effective use of fire in forested ecosystems is an ongoing challenge for forest managers as humans

continue to populate forested areas, and safety and smoke management concerns restrict burning options.

Wind-related disturbances also influence forests in much of the South. Hurricanes alter forest structure over large areas of the Coastal Plain and Piedmont, and microbursts and tornadoes create smaller openings throughout the region. Ice storms limit the northern range of some tree species.

In addition, the growth, development, and species composition of forests depend on the ambient environment. Alterations to the environment, especially through air pollutants such as atmospheric ozone, have the potential to affect forest health and vigor. The natural geographic range in which forest species occur and thrive can be influenced by temperature and moisture regimes. Some model scenarios forecast that potential climate changes could alter the ranges of commercially and ecologically important species. There are some ecotypes that may be especially sensitive to small changes in climate and environment.

21

Severe weather events like Hurricane Andrew, which killed these slash pines in Florida, could intensify with carbon dioxide-induced climate change.

■ Various studies show that there could be a general increase in the number and/or severity of extreme weather events with climate change. However, we lack the knowledge to predict with confidence the magnitudes of these changes.



their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How do new technologies and the resultant changes affect forest management? ■ What are the projected future of forest management? ■ How do biological and disease factors and the projected future of the South's forests likely affect it in the future? ■ What are the abiotic factors, such as climate change, that stressors such as climate change have on the overall health of the forests, and what are the projected future of forests to be? ■ What are the projected future of forests in the Southern forested lands? ■ What are the history, status, and projected future of forested wetlands in the Southern forested lands? ■ What are the management practices influenced by forest management, habitat, and projected future of watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Forces of Change




Figure 13—Total aboveground carbon per acre in southern forests.  
Source: Chapter 18, Figure 4.

- Southern forests could play an important role in sequestering atmospheric carbon (fig. 13), which could aid in mitigating the negative effects of climate change.
- Southern vegetation has long been associated with fire regimes. As in other regions, fire suppression has altered species composition and forest structure and elevated the risk of catastrophic fire. Reestablishing historical fire regimes is an important part of efforts to restore longleaf pine systems, but other forest types—including Table Mountain pine, shortleaf pine-bluestem, and various oak types—could also benefit from effective reintroduction of fire. Increasing population densities in rural areas and regulations limiting smoke emissions will make these activities more complicated.

## Interactions

The forces of change described above rarely act alone in their influence on the South's forests. Rather, they interact and often have compounding effects. The population dynamics of insects can be influenced by climatic factors. For example, drought is linked to southern pine beetle outbreaks. Pollutants such as ozone may worsen the damage caused by insects. Acid deposition may cause tree species to be more susceptible to drought, insects, and diseases. Land use changes may shift forests toward developed uses. Increased human populations bring greater potential for invasive and aggressive nonnative plants and animals, which can result in displacement or loss of native species. Increased scarcity of timberland results in upward pressures on timber prices and motivates landowners to intensify their management. Expanding pine plantations may help mitigate predicted increases in atmospheric carbon dioxide.

Cogongrass is a nonnative grass invading longleaf pine ecosystems.



J. Miller

## Social and Economic Systems

Uses of land and forests are linked to the economic structure of the region. Benefits flow from the region's forests in several forms. Timber harvests provide the largest flow of cash revenue from forests, but other benefits are also substantial. Recreational uses of forests are highly valued, including the direct consumption of recreational experiences and aesthetic and spiritual values that people place on nature. Forests protect soil integrity and water quality and provide terrestrial habitats for much of the region's flora and fauna. Thus, forests are vital in many ways.

In this section we examine the South's growing population and changing demographic profile. We then examine two direct sources of benefits flowing from southern forests, timber products and recreation. We conclude with a discussion of the broader influence of forests on quality of life and the implications of anticipated changes on these functions. Throughout, we focus both on how human activities influence forests and how benefits are derived from forests.



Upper Creek Falls on the Pisgah National Forest in North Carolina.

B. Lea

23

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Social and Economic Systems

### Social Context

#### Primary Question (chapter 7):

**What are the attitudes and values of southern residents toward forests and their management, how have they changed over time, and how do they differ among demographic groups?**

#### Related Question (chapter 9):

**What motivates private forest landowners to manage their forest land, and how are their management objectives formed?**




Figure 14—Population for the United States and for the 13 States in the Assessment area from 1890 to 2000. Source: Chapter 6, Figure 8.





Figure 15—Percent changes in the density of population for (A) 1950 to 1960, and (B) 1990 to 1999. Source: Chapter 6, Figures 9B and 9C.





The population of the United States roughly doubled between the late 1950s and 2000, and the population of the South has grown at an even faster rate (fig. 14). The South's population grew by 13.7 percent between 1990 and 2000, and the share of the U.S. population living in the South grew from 30.7 percent in 1990 to 32.5 percent in 2000. Much of this growth has been focused in urban areas such as Atlanta and Miami and along the eastern coastline. The population of the 13 Southern States stood at 91,486,129 people on April 1, 2000.

Historical data show that population contracted in rural areas and expanded in urban counties from the 1950s to the 1980s, but growth was spread across nearly every county in the region between 1990 and 2000 (fig. 15). As a result, even the population density near rural forests has expanded and will likely expand in the future. The very few areas experiencing depopulation between 1990 and 2000 were in the most rural areas of the South.

Along with economic growth have come changes in the various attributes of the region's population. The population has continued to increase in racial and ethnic diversity (fig. 16). Mean incomes have increased since the 1980s, but much of these gains have been concentrated in the urban areas,

Population and economic growth means increases in racial and ethnic diversity.

Social and Economic Systems




Figure 16—Change in percent of nonwhite residents in the South, 1980 to 1990. Source: Chapter 7, Figure 18.

USDA Forest Service



25

What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic habitats and species in the South? ■ What are the history, status and projected future of plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future of forest management and access on ecosystems in the South? ■ What will be needed to maintain animal populations in the South? ■ How have uses changed in the South and might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the history, status and projected future of forest diseases in the South? ■ How do technologies and resultant changes affect the future of biological resources in the South? ■ What factors, such as climate change, affect the overall health and what are the likely future of forested lands in the region, status, and management influenced by climate change, and watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Social and Economic Systems




Figure 17—Percent change in median household income (adjusted by Consumer Price Index) in the South, 1980 to 1990. Source: Chapter 7, Figure 21.




Figure 18—Poverty rates in the United States and in the South, 1969 to 1999. Source: Chapter 10, Figure 4.

primarily in the eastern half of the region (fig. 17). Increases in education levels followed the same spatial patterns. Poverty rates have fallen in the recent past and are approaching U.S. averages (fig. 18).

The population has become older in many parts of the region. Compared to the national median age of 32.8 years, Florida's is 42. The population is expected to age in all States, changing the demand for various services, but the increase in median age will be especially large in retirement destinations such as Florida and the Southern Appalachians. These changes portend changes in the demands placed by resident populations on forests for aesthetic and recreational uses.

Upward trends in population along with change in other demographic variables reflect changes in the way southerners

Increased median age means more demands on the natural resources of Florida, the Southern Appalachians, and other retirement destinations.

L. Korhnack



Population increases mean more housing construction.

view and use forests (chapter 7). Especially in the urbanizing areas of the South, there is an unambiguous trend toward increasing scarcity of certain forest services in urban areas as populations increase rapidly coincident with a decline in the area of forests (especially large contiguous forests). Perhaps reflecting this increasing scarcity, public values about forests and their management have changed over the past two decades. Survey-based studies show values have shifted from a largely commodity-oriented, anthropocentric perspective on forest management toward inclusion of natural biological factors in a biocentric approach (chapter 7). Southern residents generally favor additional funding of environmental protection. Perhaps surprisingly, we found little significant differences between the attitudes and values held by rural and urban residents. However, young people had more biocentric views than older people, placing more value on scenic beauty and less on wood production (chapter 7).

Surveys of forest owners (chapter 9) and the public in general (chapter 7) indicate that conservation ranks high as a value with both sets of people, and recent changes in attitudes reflect a growing concern for environmental quality in addition to the commodity benefits that flow from forests. It is clear that forests play both direct and indirect roles in determining quality of life in the South.

## Social and Economic Systems



B. Lea

## People and Forests

**Primary Question (chapter 6):**

## How have land uses changed in the South, and how might changes in the future affect the area of forests?

**Related Question (chapter 1):**

## What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South?

Conversion of forests to developed uses is associated with population growth. Substantial population and income growth is forecast for about a third of the region's counties.



■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the human impacts on the structure of habitats? ■ What are the projected future access on? ■ What are the impacts in animal? ■ How do the South and affect the studies and forests have they differ by? ■ What are the current forest? ■ What are the owners to how are formed? ■ What are the employment? ■ What are the forest commodity? ■ How do the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Social and Economic Systems




Figure 19—Forecast changes in percent under the base scenario of urban land use by county for 1992 to 2020. Source: Chapter 6, Figure 13B.




Figure 20—Shares of areas in counties classified as interior forest at a fine scale (7-ha neighborhood). Source: Chapter 6, Figure 18A.

Urbanization will be concentrated in three large areas: the Southern Appalachian Piedmont stretching from Raleigh/Durham, NC, through Atlanta, GA; the Atlantic Coast from the Carolinas through Florida, and a portion of the gulf coast centered on Mobile Bay. Other centers of expanding urbanization are around Nashville, TN, and Knoxville, TN, and in northern and eastern Virginia (fig. 19).

Many developed areas of the South still retain much forest cover. However, these forests are becoming fragmented, suggesting that they do not have the potential to provide the same ecological and economic values as forests in a rural setting. One way to gauge fragmentation is to examine the share of land in interior or unfragmented forest (that is, a forest area that is completely surrounded by other forest areas). A measure of forest cover developed from satellite imagery shows that interior forest is especially scarce in the developing areas mentioned above (chapter 6) (fig. 20).

The influence of urban areas on forests extends outward into surrounding rural areas. Areas influenced by urban development will likely experience growing human populations and changes in the values and uses of forests. For example, forest services such as recreation and microclimate moderation may become more highly valued in an urbanizing area. Timber management, on the other hand, is generally inversely correlated with population density. Timber harvesting near urban areas will likely decrease



substantially after the harvests associated with land clearing and conversions (chapter 6).

One measure of human presence in the vicinity of forests is forest population density (FPD), which is the number of people per square mile (ppsm) of forest within a county. The index ranges from about 20 ppsm in very rural areas of the South to more than 1,000 in urbanized areas (we consider 1,000 ppsm a “saturated” condition). Figure 21 shows that, as expected, FPD is highest in the vicinity of large cities. Florida has the highest concentration of these saturated areas, reflecting a very high population density through much of its peninsula and low forest cover in the southern half of the State. Three other areas along interstate highway corridors had high FPD values in 1992: the I-85 corridor from Raleigh/Durham, NC, to Atlanta, GA, the I-65 corridor from Birmingham, AL, to Nashville, TN, and the I-81 corridor from Chattanooga, TN, to Wytheville, VA. At the periphery of the region in northern Kentucky and Virginia and along the gulf coast, FPDs were also relatively high in 1992.

Forecasts of changes in FPDs from 1992 to 2020 indicate continued outward growth of the urban centers of the South. Figure 22 shows a characteristic “doughnut” pattern of growth in FPD around Atlanta, GA, Nashville, TN, and Charlotte, NC. Expansion in FPD is also forecast to be concentrated in Atlantic Coastal areas of South Carolina and Florida and along the Gulf coast. A similar pattern is also evident around the concentration of public land in the Southern Appalachians.




Figure 21—Forest population density index (FPD) in people per square mile of forest by county for 1992. Source: Chapter 6, Figure 15A.




Figure 22—Forest population density index (FPD) in change in FPD for 1992 to 2020. Source: Chapter 6, Figure 15B.

What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the effects of expanding human population, urbanization and infrastructure on wildlife and their habitats? ■ What are the historical and projected future management and access on public lands in the South? ■ What will be needed to maintain animal associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by geographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What states private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supply of wood products in the South? ■ What are the status and trends of forest practices in the South? ■ How have new technologies and innovations and the resultant changes in forests? ■ What are the history, status and projected future of forests? ■ How have biological factors including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what future effects likely to be? ■ What are the history, status, and likely future of forested wetlands in the South? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Social and Economic Systems



B. Lea

Strong timber markets have encouraged owners to return their land to forest.

Timber harvesting and wood-products manufacture yield the largest direct revenue from forests in the South. Timber produces a large share of land-based revenues in rural areas and influences forest conditions. Timber harvesting changes the structure of forests, but strong timber markets have also encouraged landowners to keep land in forest cover, to convert agricultural land to forest uses, and to otherwise invest in silvicultural activities.

Since the 1960s, the consumption of wood products has steadily expanded in the United States, and timber production from western U.S. regions has declined. As a result, the South now produces nearly 60 percent of the Nation's wood output since the 1990s. The South produces a highly diverse complement of forest products. Both hardwoods and softwoods are used for lumber, plywood, composite boards, poles, paper, and other products (chapter 13).

Timber harvesting and management for timber production are prevalent in all parts of the region, but especially on the Atlantic Coastal Plain from South Carolina to northern Florida and the Gulf of Mexico Coastal Plain from northern Florida to eastern Texas. Recent developments in the wood products industries have resulted in a shift outward from the Coastal Plain to more western and northern parts of the region. These shifts are explained by overall increases in wood products demand but also by changes in wood products technologies, which allow for the utilization of lower

## Wood Products

**Primary Question** (chapter 13):

**What are the history, status, and projected future demands for and supplies of wood products in the South?**

**Related Questions** (chapters 14 and 15):

**What are the status and trends of forest management practices in the South? How might existing and new technologies influence forest operations and the resultant conditions of forests?**





Red and white oak air-drying for 90 to 120 days.

B. Lea



Timber and agriculture still contribute over 6 percent to the southern economy.

USDA Forest Service

## Social and Economic Systems

quality and smaller sized timber, particularly hardwood timber (see “Timber Markets” following).

Across the South, wood products industries have provided large shares of employment and income. In 1997, the most recent year for which complete data are available, timber harvests led to more than 700,000 jobs in the wood products sector and yielded more than \$118 billion in total industry output. The total impacts of activities in the wood products sector were about 2.2 million jobs and \$251 billion of total industry output in 1997 (this includes indirect and induced jobs and income). These totals represent 5.5 percent of jobs and 7.5 percent of total industry output in the South (chapter 10). In addition:

- Forests are important in the local and regional economies of the South. The overall southern economy has grown since 1969, with total jobs increasing consistent with increases in population in the national economy. This new economy is less dominated by manufacturing and agriculture. Timber and agriculture, the two major uses of rural southern land still contribute over 6 percent to the southern economy.

- The U.S. wood products industry continues to concentrate in the South, which had 39.3 percent of U.S. wood products jobs in 1997. The percentage of State-level jobs and income in wood products declined between 1969 and 1997, yet actual numbers have remained fairly constant.

31

- What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South?
- What are the history, status and projected future of native plant communities in the South?
- What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats?
- What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South?
- What conditions will be needed to maintain animal species associations in the South?
- How have land uses changed in the South and how might changes in the future affect the area of forests?
- What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups?
- How do current policies, regulations, and laws affect forest resources and their management?
- What motivates private forest landowners to manage their forest land and how are their management objectives formed?
- What role do forests play in employment and local economies in the South?
- What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South?
- How do forests and their uses influence the quality of life in the South?
- What are the history, status and projected future demands for and supplies of wood products in the South?
- What are the status and trends of forest management practices in the South?
- How might existing and new technologies influence forest operations and the resultant conditions of forests?
- What are the history, status and projected future of southern forests?
- How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future?
- How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be?
- What are the history, status, and likely future of water quality in southern forested watersheds?
- What are the history, status, and likely future of forested wetlands in the South?
- How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds?
- What are the implementation rates and effectiveness of BMPs in the South?
- What are the history, status, and likely future of aquatic habitats and species in the South?



## Social and Economic Systems




Figure 23—Forecast percent change in annual softwood harvest levels, 1995 to 2040. Source: Chapter 13, figure 22A.




Figure 24—Subregional Timber Supply Model projections of softwood timber growth and removals volumes on private timberland in the South, 1995 to 2040. Source: Chapter 13, Figure 21A.

Forecasts indicate continued expansion in timber harvests between 1995 and 2040. Increased demands for southern wood products will influence not only the amount of timber harvested but also the location of harvesting. We examined forecasts of timber harvesting and found (chapter 13):

- Softwood and hardwood harvests are forecast to increase by 56 and 47 percent, respectively, between 1995 and 2040.
- Production of softwoods is currently concentrated on the Coastal Plain and, to a somewhat lesser extent, in the Piedmont. Softwood production in this core area is forecast to increase somewhat over the next 50 years. Softwood production is also forecast to increase to the north and west of this core area, in central and western Tennessee, Oklahoma, northern Arkansas, Kentucky, and western Virginia. In these areas, softwood harvests are forecasted to increase by more than 25 percent (fig. 23).
- Declines in softwood harvests are forecast for northern Georgia and for an area that includes portions of Louisiana, eastern Texas, and northern Mississippi.
- While regional softwood harvests are forecast to increase substantially, the volume of softwood inventory would also increase over the next 50 years (fig. 24). Strong and relatively stable markets for wood products would encourage landowners to continue to invest in growing timber. As a result, the area of pine plantations in the South is forecast to increase by more than 60 percent between 1995 and 2040 to 54 million acres. These pine plantations are forecast to be




Figure 25—Pine plantation area by State on private land in the South for 1995, 2020, and 2040. Source: Chapter 13, Figure 18.

managed with a range of intensities, practices, and rotation lengths in response to differing owner objectives.

■ Four States—Georgia, Alabama, Florida, and Mississippi—currently contain and are forecast to contain more than 50 percent of the area of pine plantations (fig. 25).

■ Forecast changes in softwood inventories vary by State. Alabama, Arkansas, Florida, and North Carolina are forecast




Figure 26—Softwood inventory by State, 1995 to 2040.

to experience large increases in softwood inventories (fig. 26). Louisiana is forecast to be the only State with a decline in softwood inventory (decline of 6 percent between 1995 and 2040). All other Southern States are forecast to experience at least a small increase in softwood inventories, indicating that net growth exceeds removals throughout the forecast period.

■ Hardwood harvests are forecast to increase the most in regions with large hardwood inventories. Expanding hardwood harvests would be concentrated in a large contiguous area stretching from northern Alabama and Georgia to the northern boundary of the Assessment area. This area includes all of

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Social and Economic Systems




Figure 27—Forecast percent change in annual hardwood harvest levels, 1995 to 2040. Source: Chapter 13, Figure 24A..

USDA Forest Service




Figure 28—Subregional Timber Supply Model projections of hardwood timber growth and removals volumes on private timberland in the South, 1995 to 2040. Source: Chapter 13, Figure 22A.

Kentucky, the central and western portions of Tennessee, western North Carolina, and northern and western Virginia. Harvests are also forecast to expand in northern Arkansas (fig. 27).

■ With hardwoods, the rate of removals is forecast to gradually approach the rate of growth between 2020 and 2025. As a result, hardwood inventory is forecast to peak in 2025 and then to decline between 2025 and 2040. Inventory in 2040 is still forecast to be somewhat higher than current inventory (fig. 28). Forecasts of hardwood inventories vary by State. Kentucky, Oklahoma, and Tennessee show increases throughout the forecast period, indicating that net growth exceeds removals throughout the period. Mississippi and South Carolina show inventories declining for nearly the entire forecast period, indicating that removals exceed net growth

With 40 percent of all hardwood lumber going into the manufacture of pallets, recycling has become a priority for many companies.



from the late 1990s forward. Georgia, Texas, and North Carolina have hardwood inventories peaking between 2007 and 2018, and then begin to decline. The remaining States are forecast to accumulate volume until sometime between 2021 and 2031, at which point removals begin to exceed net growth and hardwood inventories begin to decline (fig. 29).

■ Real prices for hardwood and softwood products (i.e., after accounting for inflation) are forecast to increase between 2000 and 2040. While investment in softwood forests has been a demonstrated response to increasing softwood prices, major investments in hardwood production have not yet occurred in the South. However, the feasibility of short-rotation hardwood management has been demonstrated and could conceivably reduce these price increases and reverse inventory declines.




Figure 29—Hardwood inventory by State, 1995 to 2040.



Photographing nature has grown more rapidly than other recreational activities.

B. Lea

## Recreation

Primary Question (chapter 11):

**What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South?**

Related Question (chapter 10):

**What role do forests play in employment and local economies in the South?**

Southern forests are the settings for a wide variety of recreation activities. We examined recreation use, the influence of population growth and change on recreation demand, and changes in recreation supply (chapter 11).

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic plant communities in the South? ■ What are the history, status, and projected future of expanding human population and infrastructure? ■ What are the history, status and projected future of wildlife and their habitats? ■ What are the history, status and projected future of recreational and projected future management and access on forests in the South? ■ What are the history, status and projected future of wildlife and their habitats? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Social and Economic Systems



Fishing in the Southern Appalachians.

Driven by a growing population and changes in demographic characteristics such as income and median age, participation in outdoor recreation of all types has increased in the South. Some activities, including viewing and photographing nature, gathering various forest products, and certain forms of boating have grown more rapidly than others. The most popular outdoor recreation activities among southerners tend to be the least expensive and include walking for pleasure, attending family gatherings, picnicking, and visiting historic sites. Next in popularity are activities such as viewing and photographing wildlife, fishing, gathering forest products, hiking, hunting, and biking, which require somewhat more financial outlay. In general, the popularity of the activity is inversely related to the cost of participation. Among the various classes of recreational activities, those focused on viewing, learning, and photographing in natural areas have been expanding the most rapidly (chapter 11).

The patterns of recreation participation among southerners are very similar to averages for the United States as a whole. However, with the exception of water-based activities, the level of participation in the South is lower.

In addition to the growth in largely nonconsumptive recreation activities, recreation focused on the harvest of various nontimber products has also grown. A recent survey showed that 31 percent of respondents in the South



Bird watching in Coastal Carolina.



participated in some form of this activity. Products included firewood, rocks and minerals, berries, mushrooms, herbs, flowers and other decorative plant materials, and several other minor products (chapter 11). A small percentage of people (2 percent) indicated that they collected forest products for income; 96 percent collected for personal uses. Fifty-four percent collected in a forest setting. Based on the income distribution of respondents who participated, it appears that only a small portion engaged in gathering as a subsistence activity (chapter 11).

Recreation and tourism, including that derived from forested settings, is a source of employment and income in the South, although data are not available for isolating the effects of forest-based recreation.

■ In 1997 outdoor recreation-based tourism contributed between 0.64 and 2.88 percent of southern jobs and between 0.51 and 2.51 percent of the South's gross regional product. Public lands represented 56 percent of this contribution (chapter 10).

■ Tourism-related industries are increasing in the South but are not becoming more concentrated. The percentage of State-level jobs and income in the tourism-related sectors has increased in all 13 States, as have the actual numbers of jobs and amount of income (chapter 10).

Ramp harvesting is part of the culture in rural mountain communities.



Boating in the Ozarks.

B. Lea

D. White



■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic plant communities in the South? ■ What are the history, status, and projected future of expanding human

ization and infrastructure? ■ What are the history, status, and projected future of wildlife and their habitats? ■ What are the history, status, and projected future of historical and projected future management and access on public lands in the South? ■ What are the history, status, and projected future of needed to maintain animal populations in the South? ■ How have land uses changed in the South and how are they expected to change in the future affect the environment? ■ What are the attitudes and values of residents toward forests, forests management, and how have they changed over time, and do they differ by region? ■ How do current forest management practices, and laws affect forest management? ■ What are the history, status, and projected future of forest landowners to forest land and how are they expected to change? ■ What are the history, status, and projected future of objectives formed? ■ How do forests play in employment and income in the South? ■ What are the history, status, and projected future of demands for forest products and other noncommodity products in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Social and Economic Systems

Forest-based recreation is largely concentrated on relatively scarce public land. Because only 4.6 percent of Federal land and 12 percent of State park and forest lands are in the South, which has about 33 percent of the Nation's population, recreation pressures on public land are substantial. For example, U.S. national forests in the Southern Region are the second most heavily used of the nine USDA Forest Service regions, with visits of 1.9 per acre (chapter 10). Only 7 percent of private land held by individuals is open to free access by any member of the public, and the trend is toward decreasing access to private land (chapter 11).

Increased demand for outdoor recreation will therefore likely be placed on public lands. The ability to provide these kinds of uses will be constrained by Federal budgets and by the mandates of the various Federal agencies. For example, national parks are managed with a mandate to protect natural, historic, and cultural areas, and management of wildlife refuges must focus first on wildlife conservation.

■ Private land ownerships, combined with divergent owner objectives, appear to constrain the growth potential of forest-based recreation opportunities in the South. There is a trend toward increasing scarcity of recreational opportunities (chapter 11).

Recreation user groups, such as bird watchers and bicyclists, are beginning to compete for access to limited public land.

Recreation areas on public land will likely be increasingly congested, and competition between various recreation user groups for limited area is forecast to increase based on forecast population growth. Competition may be greatest between nature-viewing activities, such as birdwatching and nature photography, and technology-based activities, such as mountain biking and other forms of mechanical trail use.

■ As recreation congestion increases, the costs imposed on owners of private tracts may increase. This could lead to more

B. Lea



restricted uses of private land, thereby shrinking supply and increasing congestion even further.

■ Furthermore, competition between recreation types indicates that investment to support one type of recreation activity may diminish opportunities for other types. Because public land is so scarce, tradeoffs between recreation opportunities are critical issues for forest managers.

Another important outcome of recreation congestion is the potential for damage to the productive and protective capacity of forest ecosystems. Recreation can damage soils through compaction, pollute water, damage and alter vegetative cover, and influence native wildlife populations. While a complete assessment of existing or potential damage has not been conducted, increased damages are expected in the recreation “hot spots” identified in fig. 30. In these areas, heavy recreation pressures on forest resources are anticipated (chapter 11).

Increasing recreation participation rates combined with population growth and decreased forest area adjacent to urban areas portend substantial challenges for public forest managers. These include addressing user competition and mitigating recreation-related environmental damages.

Throughout the South are recreation “hot spots” where heavy pressures on forest resources are anticipated.




Figure 30—Hotspots of recreation demand pressure on forests, Southern States, 2000.  
Source: Chapter 11, Figure 1.



B. Lea

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future of forest management and access on forests in the South? ■ What are the needs to maintain animal populations in the South? ■ How have forest uses changed in the South and what changes in the future affect the forests? ■ What are the attitudes and behaviors of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are management objectives formed? ■ What role do forests play in employment and economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?





B. Lea

Nantahala National Forest  
in North Carolina.

## Quality of Life

**Primary Question** (chapter 12):

**How do forests and their uses influence the quality of life in the South?**

**Related Question** (chapter 10):

**What role do forests play in employment and local economies in the South?**

Quality of life depends on a multitude of factors. These factors can be placed in three categories: (1) economic well-

being, (2) social well-being, and (3) environmental quality. Land use and forest conditions can have a bearing on the quality of life in local areas (chapter 12).

Economic well-being is generally defined as the production of wealth, which allows for the purchase of goods and services. Forests produce wealth in several ways. Timber harvests generate income and a return to investments in land and forest management. Employment and returns to capital accrue as primary wood manufacturers convert raw timber products into intermediate products such as pulp, paper, and lumber. Secondary wood products industries such as furniture manufacturing, which utilize these intermediate products, also generate employment, income, and returns to capital investments. Additionally, forests provide settings for outdoor recreation that can produce wealth for local areas.

The production of wealth is important, but it provides an incomplete assessment of the contribution of forests to the quality of life in a region. Another element is social well-being, which is generally measured in terms of the social conditions and services found in a region. Examples include crime prevention, education, and access to health services. Forest cover and even uses do not cause these conditions. However, correlations between these conditions and social indicators can provide insights into the social context of places influenced by forest uses. A comparison of social and economic conditions with the share of wood products and recreation and tourism employment found:





B. Lea

- The forest products industry was located in areas where economic opportunities and diversity were limited.
- The forest products industry provided good paying jobs in areas where other economic opportunities were limited. On average, wages in this industry ranged from marginally higher (in the primary and secondary wood products sectors) to much higher than typical wages (that is, average wages in nonforest product industrial sectors).
- Through export of wood products to other regions, the forest products industry contributed to local economies by bringing in income which then circulated through economies via the purchase of locally provided goods and services. In areas where employment in the wood products industry comprised at least 10 percent of local employment, the industry contributed more than half of the jobs in the economic base.

Forest-related recreation is associated with higher median household income and lower unemployment rates.

In many areas, wood processing jobs are among the best paying.

- Concentrations of employment in the forest-related recreation and tourism sector were associated with better economic conditions in rural areas of the South—that is, were correlated with an increase in median household income and with a decline in unemployment and poverty rates.

Another element of quality of life is environmental quality, or the set of services derived from local settings. Several nonmarket benefits are associated with forests and forest uses, such as high-quality water and natural settings. Precise measurement of the value of nonmarket benefits is very

B. Lea



## Social and Economic Systems

41

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic habitats and species in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do the quality of life, the history, and the status of forest resources in the South affect it in economic factors, such as the overall economic status and what are the likely future forested areas, status, and management influenced by land use changes and forest management practices?

■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Social and Economic Systems

difficult, but a valuation of these benefits is reflected in the willingness of some rural residents to live in a particular locale irrespective of wages. Environmental quality appears to play an especially important role in selection of a residence by retirees. We examined the conditions of forests in counties that depend on primary wood products and found (chapter 12):

■ Forests in areas with high concentrations of wood products manufacturing show greater influence of management. They have higher concentrations of plantation acreage, younger pine forests (high pine growth relative to standing inventory), and greater timber harvest intensity in hardwood forest (greater removals relative to standing inventory).

■ Nonmarket benefits associated with “naturalness of forests” may, therefore, be lower in areas dominated by the wood products industries, while marketed benefits and employment and income associated with wood products are higher as described above.

People choose where to live based on a bundle of attributes related to each location. These include elements of economic and social well-being and environmental amenities, as well as other variables not described here. Living in a forested rural county with little timber management activity may indeed reflect a preference for natural forest conditions. Living in urban areas or heavily managed rural areas reflects yet other preferences.

Harvesting in a new area can therefore have multiple effects on local populations. Some benefit from direct and indirect employment and income. Others may lose certain non-income benefits they derive from an unmanaged forest landscape. Thus, we would expect that the emergence of timber production in new areas would lead to debate over appropriate forest uses (see chapter 13 for detailed timber harvest forecasts). This factor, combined with timber harvest forecasts indicate that such debates may occur in parts of the Piedmont areas of North Carolina and in central Tennessee, Kentucky, and parts of Virginia. We see evidence of this in recent debates over chip mills in these States.

These same types of impacts on quality of life also arise because of urban development. Therefore, where development and increased timber production converge, their impacts and ensuing conflicts may be compounding. For example, places like the Piedmont would appear to be experiencing substantial change in quality of life through rapid urbanization and population growth.





## Forest Area and Conditions

In this section we examine trends in forest area and conditions as measured by surveys conducted by the Forest Inventory and Analysis (FIA) Program of the USDA Forest Service. In the past these have been periodic surveys, conducted every 5 to 10 years. Accordingly, totals for the South are based on data from State surveys taken in different years, and current conditions are estimated from the most recent surveys. While some of the data are somewhat dated,

Since the 1930s, the USDA Forest Service, Southern Research Station's Forest Inventory and Analysis Unit has provided the best data of forest conditions through periodic inventories of the 13 Southern States.

these are the best and only comparable data available for measuring forest conditions at this level of detail and scale. New survey procedures are being implemented to provide annual updates of forest conditions, but such data were not available for this report. We also examine forecasts for some measures of forest condition.

---

### Forest Area and Ownership

---

**Primary Question (chapter 16):**

**What are the history, status, and projected future of southern forests?**

**Related Question (chapter 9):**

**What motivates private forest landowners to manage their forest land, and how are their management objectives formed?**

Based on the most recent FIA estimates, the South has more than 214 million acres of forest land. This area of forest is 60 percent of the area of what was likely present in 1630, and 91 percent of what was likely present in 1907 (fig. 31). Since the 1970s, the total area of forest land has remained relatively stable; 218 million acres were present in 1982, and 212 million acres in 1992 (chapter 16).

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Forest Area and Conditions




Figure 31—Forest area by year, Southern United States. Source: Chapter 16, Figure 1.

Ninety-three percent of the South's forest land is classified as timberland by FIA. While not necessarily managed for timber products, this land has enough physical productivity to make timber production plausible. Also, timberland does not include public lands withdrawn from potential timber harvesting, such as designated wilderness areas. At 201 million acres, the area of timberland has been essentially stable since 1982 when it was 198 million acres. Many of the variables used by FIA to describe the characteristics of forests are recorded only for timberland, and detailed data on forests prior to the 1950s are generally unavailable. Accordingly, much of our description of forests is limited to the timberland portion of the South's forest area since the early 1950s.

The stability in total area of timberland is the result of considerable area changing both into and out of forest cover. FIA records indicate that, over the past 20 years, as much as 2 to 3 million acres per year have experienced a change either from forest to nonforest or vice versa. These changes have been




Figure 32—Distribution of timberland by owner class, Southern United States, 1999.

focused in different parts of the region, with recent losses prevailing in Florida and Louisiana and gains prevailing in Alabama, Arkansas, Mississippi, and Kentucky. Between the 1950s and 1990s, Florida had by far the greatest loss of timberland (3.5 million acres or about 19 percent) while Mississippi had the greatest gain (1.7 million acres or about 10 percent). Both Florida and Louisiana have experienced continuous forest loss over the past 50 years.

Timberland is held by a diverse group of owners in the South (fig. 32). Currently, about 11 percent (21.4 million acres) is controlled by various government agencies. The USDA Forest Service manages more than half of this public timberland. The remaining 89 percent of timberland is privately owned. Based on data for all Southern States except Kentucky (Kentucky's data were not classified in this way), about 22 percent of private timberland is owned by the forest industry, 21 percent by farmers, 12 percent by other corporations, and 45 percent by other individuals.




Figure 33—Timberland area by ownership class and year, Southern United States. Source: Chapter 16, Figure 6.

Ownership distribution is dynamic (fig. 33). For example, the area of timberland owned by forest industry declined by about 1 million acres between the 1980s and 1990s. However, this decline was more than offset by about a 4-million-acre increase in ownership by other corporations. Many of these corporate owners—including Timber Investment Management Organizations or TIMOs—practice a forest management style similar to forest industry so that the net environmental and timber supply implications of a shift from forest industry to TIMO ownership may be minimal (chapter 14). Forest industry's holdings also shifted westward during this period, with substantial reductions in Florida (681,000 acres) and Georgia (583,000 acres) accompanied by increases in Alabama (591,000 acres), Arkansas (239,000 acres), and Mississippi (209,000 acres). In the 1990s, some of the highest concentrations of industrial ownership were still in the Coastal Plain of Georgia and northern Florida.

Private forest ownership has declined the most among farmers, who hold 21 percent, compared to 45 percent for individuals, 22 percent for forest industry, and 12 percent for other corporations.

The most substantial reduction in forest ownership since the 1950s has been in the farmer-owner category. The amount of timberland held by farmers has declined from 88 million to 35 million acres. Private individuals who do not farm hold an increasing share.

Between 1978 and 1993 the number of forest landowners increased by 12 percent in the South and stood at 4.9 million in 1993. Of these, 84 percent owned tracts smaller than 50 acres. Indications are that this trend continued through the 1990s. The implication is that an increasing share of southern forests is held in smaller parcels (chapter 9).

USDA Forest Service



What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? What are the history, status and projected future of native plant communities in the South? What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? What conditions will be needed to maintain animal species associations in the South? How have land uses changed in the South and how might changes in the future affect the area of forests? What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? How do current policies, regulations, and laws affect forest resources and their management? What motivates private forest landowners to manage their forest land and how are their management objectives formed? What role do forests play in employment and local economies in the South? What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? How do forests and their uses influence the quality of life in the South? What are the history, status and projected future demands for and products in the South? What status and trends of forest practices in the South? How are new technologies, operations and the resultant forests? What are the history and projected future of insects and disease? What are the overall health of the South's forests and how will they likely affect it in the future? How have abiotic factors, environmental stressors such as climate change, influenced the overall health of the South's forests, and what are the likely future impacts? What are the history, status, and likely future of forested wetlands in the South? How have forest management practices influenced aquatic habitat, and how do they influence watersheds? What are the implementation rates and effectiveness of BMPs in the South? What are the history, status, and likely future of aquatic habitats and species in the South?



## Broad Forest Types

**Primary Question** (chapter 16):

**What are the history, status, and projected future of southern forests?**

**Related Question** (chapter 13):

**What are the history, status, and projected future demands for and supplies of wood products in the South?**

While the total area of timberland in the South has remained relatively stable, forest types have changed (fig. 34). Five broad categories of forest types are recognized by FIA: upland hardwoods (including oak-hickory and beech-birch-maple), lowland hardwoods (including oak-gum-cypress), natural pines (including longleaf, slash, shortleaf, and loblolly not established by planting), planted pines (all species), and mixed oak-pine. Pine forest types have experienced the most change. The area of natural pine has declined from about 72 million acres in 1953 to about 33 million acres in 1999. Planted pine has increased from about 2 million acres in 1953 to more than 30 million acres in 1999. Upland hardwoods have increased somewhat between 1953 and 1999. Lowland-hardwood areas declined somewhat between 1962 and 1970 but have been essentially stable since the 1970s.

Changes in broad forest types are brought about by forest succession and by forest management. Data for the 1980s and 1990s show that 28 percent (3.3 million acres) of new pine plantations came from forest that was previously natural pine. Forty-seven percent (5.7 million acres) was derived from hardwood and oak-pine forest types, and another 25 percent (3 million acres) was derived from agricultural land. Over this same period, 9.2 million acres of natural pine were reclassified as hardwood and natural oak-pine types, reflecting a natural

In contrast to naturally regenerated pines, which have declined by more than half since 1953, planted pines have increased from 2 million to 30 million acres.



USDA Forest Service



## Southern Forest Resource Assessment




Figure 34—Trends in area of timberland by forest management type, Southern United States, 1952 to 1999. Source: Chapter 16, Figure 12.

succession from pine species to more shade-tolerant species such as oaks and hickories, or harvesting of the pine component from these forests.

Upland hardwood acreage has been gradually increasing since the 1950s. Between the 1980s and the 1990s, 3.4 million acres of natural pine types shifted to upland hardwood. At the same time, 5.9 million acres of upland hardwood types were reclassified as natural pine and oak-pine types. Hardwood forest types experienced the greatest amount of conversion (2.2 million acres) to nonforest uses over this period.

Lowland hardwood forest types declined in area between the 1950s and the 1990s, with most losses occurring between 1960 and 1970. Since then, losses have been more gradual. Much of the loss in the 1980s and 1990s resulted from reclassification to other natural forest types, but 634,000 acres were planted to




Figure 35—Subregional Timber Supply Model projections of private timberland area by management type, 1995 to 2040. Source: Chapter 13, Figure 15A.

pine and 864,000 acres were converted to nonforest uses during these years.

The area in pine plantations is forecast to rise by 67 percent from a little more than 30 million acres in 1999 to 54 million acres in 2040 (fig. 35). Twenty-three million acres of agricultural land are forecast to be planted over this period. These forecasts indicate that forests of all types will be lost to urban uses, that most gains in planted pine will come from converting agricultural fields (fig. 36), and that the remainder of gains will come from converting other forest types. This forecast departs from historical trends of about 25 percent of plantations from agricultural fields in the 1990s, but reflects a strong demand for plantations in areas that are already managed intensively. In these areas, where conditions are good for growing pine, the availability of other forest types

## Forest Area and Conditions




Figure 36—Forecast of the area timberland by forest types (million acres), 1995 to 2040.

What role do forests play in employment and local economies in the South? What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? How do forests and their uses influence the quality of life in the South? What are the history, status and projected future demands for and supplies of wood products in the South? What are the status and trends of forest management practices in the South? How might existing and new technologies influence forest operations and the resultant conditions of forests? What are the history, status and projected future of southern forests? How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? What are the history, status, and likely future of water quality in southern forested watersheds? What are the history, status, and likely future of forested wetlands in the South? How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? What are the implementation rates and effectiveness of BMPs in the South? What are the history, status, and likely future of aquatic habitats and species in the South?



Large contiguous forest areas are mostly interior forest with relatively little edge.

B. Lea

will become limited, and agricultural land will supply an increasing share of area for plantations.

The areas of all other forest types are forecast to decline at gradual rates (chapter 13), with a net reduction of 25 million acres (17 percent) between 1995 and 2040. These trends vary by State. Substantial declines in nonplanted forest area are forecast for Florida (58 percent), South Carolina (35 percent), and North Carolina (30 percent). Alabama, Georgia, Texas, and Virginia are forecast to lose between 18 and 23 percent of nonplanted forest types by 2040 (chapter 13).

## Landscape Structure

**Primary Questions** (chapters 6, 1, and 3):

**How have land uses changed in the South, and how might changes in the future affect the area of forests? What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? What are the likely effects of expanding human populations, urbanization, and infrastructure development on wildlife and their habitats?**

Landscape structure refers to the spatial arrangement of forests and the habitats that they provide. The arrangement of forest cover has an influence over many functions of forest ecosystems, especially as wildlife habitat. For example, a large contiguous forest area has a large share of interior forest and relatively little edge-forest, while a patchy forest with the same total area has proportionately more edge habitat. In addition, configuration of forest cover influences the options available for active stand management. For example, small patches of forests may be less economical to manage for timber production due to economies of scale in timber harvesting, prescribed burning, and other treatments.

Interspersion of land uses, road construction, and the splitting of land parcels can cause fragmentation of forests. The effects are a decrease in the average size of contiguous



forest patches, a decrease in the amount of forest, and losses in connectivity and interior habitat. Forest microclimate, species dispersion, and interspecies population dynamics are also influenced by fragmentation (chapter 1). However, the effects of fragmentation on wildlife may be slight in areas with forest cover that exceeds 60 to 70 percent (chapter 4). This is the situation across a large portion of the South.

On the other hand, afforestation of nonforest land can reverse fragmentation. That is, forest patches can become better connected if intervening nonforest areas are converted to forest cover.

Data are not available at the regional level for measuring changes in forest fragmentation over time. However, recently compiled data provide a “snapshot” of forest cover and fragmentation, thereby allowing comparisons of these measures among subregions of the South. Using maps derived from satellite images taken in the early 1990s, the extent of fragmentation in the South is shown by mapping two measures. One is the share of forest that is interior forest, defined as a forest “cell” surrounded on all sides by other forest cells so that it is not strongly influenced by environmental gradients emanating from edges. The other measure is “edge-influenced forest,” defined as areas adjacent to nonforest uses (chapter 6).



One measure of forest fragmentation is edge-influenced forest, defined as forest areas that are adjacent to nonforest uses.

H. Riekerk

The highest concentrations of interior forest in the South are in the Blue Ridge Mountains, the Cumberland Plateau, and the Allegheny Mountains (fig. 20). The Great Smoky Mountains National Park and a part of the Daniel Boone National Forest in Kentucky—just west of where the boundaries of Virginia, West Virginia, and Tennessee meet—form the cores of these two areas. Other large areas where the share of interior forest is high include the Ouachita Highlands and Ozark Mountains of Arkansas, a region just north of the Mobile Bay, and the Apalachicola area in the Florida Panhandle.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic plant communities in the South? ■ What are the history, status, and projected future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of aquatic plant communities in the South? ■ What are the history, status, and projected future of aquatic habitats and species in the South?



## Forest Area and Conditions




Figure 37—Shares of areas in southern counties classified as edge-dominated forest at a fine scale (7-ha neighborhood). Source: chapter 6, Figure 19A.

Maps of edge-influenced forests (fig. 37) indicate several areas where forest is fragmented. The Southern Appalachian Piedmont (commonly referred to as the Piedmont) has a relatively high share of land in the edge-influenced category, especially in North Carolina. Two other contiguous blocks are in an area spanning northern Mississippi and western Tennessee, and an area west of the Cumberland Plateau between Alabama and the Ohio River. In both of these areas, agricultural cover types are interspersed with forest cover, fragmenting it into smaller patches and reducing the amount of interior forest.

Three parts of the South may be especially susceptible to fragmentation in the future due to current conditions coupled with forecast population growth (chapters 1 and 6):

- The Piedmont is a heavily fragmented patchwork of agriculture, urban, and forest land uses. Forecasts of urbanization in this ecoregion would mean reduced forest cover, increased fragmentation, and cause other modifications to forests (chapter 6).
- In North Carolina, Tennessee, and Kentucky, the Blue Ridge, Ridge and Valley, Cumberland Plateau, and Allegheny Plateau ecoregions are susceptible to increased fragmentation. While much of this area is heavily forested, localized areas of urbanization and increasing road density could alter the structure of affected forested communities. A similar situation may arise in the Ozark and Ouachita Mountains.
- In the Mississippi River Valley, West Coastal Plain, and Interior Low Plateau, forest habitat is scarce due to conversion of large portions of these forests to agricultural uses. Additional relatively small changes in forest structure in these ecoregions could reduce their overall habitat suitability for many species.

# Forest Inventory

### Primary Question (chapter 16):

## What are the history, status, and projected future of southern forests?

**Related Question (chapter 13):**

## What are the history, status, and projected future demands for and supplies of wood products in the South?

Another way to track changes in forests is to monitor changes in tree biomass. This approach has long been used to examine timber supply issues because it provides a direct measure of the forest's capacity to produce timber products. It also provides insights into a forest's capture and sequestration of atmospheric carbon.

Evaluating changes in forests has long been a principal objective of FIA. The FIA measure of inventory most indicative of total biomass is growing stock volume, measured as the volume of trees that either are or will likely be of merchantable quality. While the measure actually undercounts total biomass because it excludes certain tree species, all trees that are not yet 5 inches in diameter, and all other plants, it nevertheless serves as a useful biomass index. In the discussions that follow, “volume” refers to growing stock volume as measured by FIA.



Young pine plantations can capture and sequester large amounts of atmospheric carbon.

Southern forests have accumulated substantial volume over the past 50 years (fig. 38). Between 1953 and 1999 the total volume increased 73 percent from about 148 billion cubic feet to about 256 billion cubic feet. This increase reflects the rapid growth of relatively young stands established after the 1930s. As the average age of these forests has increased, growth rates have declined somewhat. Most recent surveys show a slowing rate of accumulation for hardwoods and essentially a leveling off of softwood inventory.




Figure 38—Volume of growing stock on timberland by ownership class and year, Southern United States.  
Source: Chapter 16, Figure 19.

uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant

are the  
ture of  
ological  
lisease  
South's  
ect it in  
factors,  
s such  
overall  
d what  
■ What  
future  
rested  
status,  
s in the  
gement  
uenced  
t, and  
sheds?  
tes and  
■ What  
future of  
e South?

## Forest Area and Conditions




Figure 39—Average annual growth to average annual removals ratios of growing stock on timberland by species group and year, Southern United States.




Figure 40—Mortality rates for hardwoods and softwoods, 1953 to 1999.

The timber volume inventories of all 13 Southern States grew more than 50 percent between 1953 and 1999. Tennessee and Kentucky had the most prodigious increases, and six States—Arkansas, Kentucky, Louisiana, Mississippi, Oklahoma, and Tennessee—more than doubled their inventories over this period.

Changes in inventories reflect the combined effects of growth, mortality, and removals. Removals measure losses of inventory due to harvest and conversions of forests to other uses. Trends in timber inventories have traditionally been evaluated based on the difference between annual net growth (biological growth minus mortality) and removal rates, often expressed as the growth-removal ratio (GRR). A GRR greater than 1.0 indicates a net accumulation of volume. A GRR of less than 1.0 means that volume is decreasing.

For hardwoods, the GRR has exceeded 1.0 since the 1950s. In 1999 it stood at about 1.3, indicating that growth exceeded removals by about 30 percent (fig. 39). For softwoods, growth exceeded removals until about 1990. Since then, the GRR has

been about 0.9, indicating that removals surpassed growth by about 10 percent. Models of growth and removals forecast that this situation is transitory and that softwood growth will soon exceed removals again. This is because the region is in a period of transition where pine plantations are expanding rapidly. As these young pines grow large enough to enter into the FIA inventory—forest analysts call this phenomenon ingrowth—measures of total softwood growth are expected to shift upward.

Anticipated changes in GRR are demonstrated by the 1989 and 1997 inventories of the Southeastern Coastal Plain of Georgia. In 1989, the forest survey indicated that the GRR was 0.98 but also noted that the rate of tree planting had more than doubled since the previous survey. The 1997 forest survey reflected this ingrowth, and the GRR increased to 1.07. Meanwhile, the rate of planting continued to climb. Similar patterns of change are evident in Alabama and Mississippi, where recent planting activity has been high.

We forecast that softwood growth will overtake and exceed removals by a slight margin in the next few years. As a result,



softwood inventories are forecast to increase steadily between 1995 and 2040. For hardwoods, on the other hand, removals are forecast to exceed growth by 2025. Thus, total hardwood inventories are forecast to peak in about 2025 and then decline to levels just exceeding current levels by 2040. Inventories for individual States are forecast to peak and then decline at different times (see discussion in the “Wood Products” section preceding and in chapter 13).

Changes in mortality over time also are important. Since the 1950s, the rate of mortality for hardwoods (mortality divided by total volume) has fluctuated around 0.7 percent per year (fig. 40). Over the same period, softwood mortality has been increasing. The softwood mortality rate stood at about 0.55 percent per year in the 1950s and 1960s, nearly doubled by the 1990s, and now stands at about 1.0 percent of inventory per year. Reasons for this increase are unclear but likely reflect



Texas Forest Service

Longleaf seedling. If allowed to grow without thinning, plantations can be susceptible to pest damage.

several factors, including an aging softwood inventory on public and nonindustrial private land, increased susceptibility of offsite species to insects and disease, and a lack of thinning and other stand treatments in overstocked stands.

## Timberland Productivity

**Primary Question** (chapter 14):

**What are the status and trends of forest management practices in the South?**

**Related Question** (chapter 18):

**How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be?**

In general, productivity is defined as the quantity of outputs produced from a given level of inputs. In forestry, there are several ways to measure productivity, including biomass production, the flow of values, and financial returns. The potential productivity of southern forests is examined here first in terms of biomass at both forest stand and regional scales. The feasibility of productivity gains is then evaluated by examining the financial returns to forest investments. Our analysis of timber markets (chapter 13) indicates that forest productivity is a key variable in forecasting not only

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Forest Area and Conditions

harvest quantities and areas, but also the future condition of the region's forests.

A simple measure of productivity is the rate at which timber volume accumulates in a forest stand. This rate varies with stand age. Young stands accumulate volume rapidly and later approach a stasis where growth may barely offset mortality. Productivity also varies by forest type. Physical productivity can be assessed at a broad regional scale as a ratio of net growth to total inventory volume.

Forecasts of timber production and prices are critically dependent on estimates of future tree growth, especially in pine plantations. The productivity of pine plantations varies considerably with the type of management applied. The most intensive management approaches include planting of genetically improved seedlings, applying fertilizer, and controlling competing vegetation. These practices can yield about 65 percent more timber volume when compared to plantations that are not treated after planting, and more

USDA Forest Service



Intensive management usually includes planting genetically improved seedlings, treating with fertilizer, and controlling competition.

than double physical productivity when compared to natural pine stands (chapter 14).

Timber market models have generally assumed management intensity will be increased to capture this productive potential. Indeed, increased management intensity in pine plantations is a key component of the timber market forecasts discussed in “Wood Products.” Softwood outputs are expected to increase by more than a third, and softwood inventory is expected to increase slightly between 1995 and 2040. Forest investments are forecast to increase the area of pine plantations from 32 million to 54 million acres by 2040. The area of the other broad forest types (natural pine, hardwood, and mixed stands) is forecast to decline from 149 million acres presently to 122 million acres by 2040 (chapter 13).

To test the sensitivity of timber market forecasts to assumptions regarding productivity, we examined an alternative scenario which assumed that 30 percent of

expected productivity would not be attained—that is, productivity increases were set at 70 percent of current assumptions. As a result, softwood prices were forecast to increase, and the increased prices led to additional investments in pine plantations when compared with the base case. The alternative scenario produced a forecast of pine plantation area that was 12 percent higher than for the base case (for a total of 58 million acres) in 2040 (chapter 13).

This suggests that reductions in the productivity of managed stands would have the somewhat counterintuitive effect of increasing the total area of intensively managed forests. Expected productivity gains could be offset by changes in institutional factors that restrict forest management options, changes in the physical environment that would result from air pollution or climate change, or increased insect- or disease-related mortality.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Forest Area and Conditions

Research on the effects of air pollutants indicates that acid deposition probably will not have a measurable impact on forest productivity over the next 40 years. There is a trend away from sulfur and toward nitrogen as sources of acid deposition, and effects of oxides of nitrogen are mixed. Ozone pollution, on the other hand, is expected to increase and has the potential to reduce forest productivity by up to 10 percent per year (chapter 18). Warmer conditions would worsen the damage caused by ozone, but this increased damage could be offset by increased productivity resulting from warming and elevated carbon dioxide concentrations. If, on the other hand, temperatures rise more than currently expected, forest area and structure would change, and the net effect on productivity would be negative. These results indicate the sensitivity of forecasts to assumptions about

atmospheric conditions and illustrate the value of reducing uncertainty regarding these future conditions.

Forest pest-related mortality, potentially high in pine forests, is minimized by active management. Given the short rotation length (20 to 30 years typically) and active management practiced by the forest industry in the South, mortality rates would be lower on these lands; this is indeed the case (chapter 16). If a similar management style were employed on the forecast additional plantations, mortality would appear to be manageable. On the other hand, with specific exceptions such as annosus root disease, plantations allowed to grow and age without cultural treatments or thinning will be susceptible to increased pest damage and consequent reductions in productivity.



Red spruce, a high-elevation species of the Southern Appalachians.

B. Lea

## Terrestrial Ecosystems

Intensive land uses over the past three centuries have altered the structure of the South's terrestrial ecosystems. Forces of change continue to alter the region's biota, and pressures are focused especially on several rare forest communities. These rare communities continue to be pressured by loss of area, fire exclusion, and disruption of hydrologic functions. Change has favored certain types of forests, such as loblolly pine and mixed upland hardwoods. Ongoing changes in these forest types also have implications for the structure and function of terrestrial ecosystems. We examine abundant and rare communities in the sections that follow. We then examine the effects of land use changes and forest management on terrestrial ecosystems. We conclude the section with a discussion of wildlife species of concern and conservation issues in the South.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Abundant Forest Communities

### Primary Question (chapter 17):

**How have biological agents, including insects and disease, influenced the overall health of the South's forests, and how will they likely affect it in the future?**

### Related Questions (chapters 1, 2, and 4):

**What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? What are the history, status, and projected future of native plant communities in the South? What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South?**

Analysis of changes in forest types indicates ongoing transformation of forest conditions. The area of upland hardwoods is forecast to decline somewhat between 1995 and 2040, but will remain the forest type with the greatest area. Pine plantation acreage is forecast to increase through planting of agricultural land and harvested natural pine and hardwood forests. Though these communities are considered abundant, they face continuing health challenges. Also, because of their extent, their structure and condition are especially important to the region's wildlife. The value of these forest types as habitat for wildlife depends largely on how they are managed.

Plantations maximize growth of a single species, with individual trees spaced for producing the most fiber in 20 to 30 years.

**Pine types**—Pine planting will continue to be focused in the Coastal Plain and parts of the Piedmont, but we expect planting rates to increase the most in the western half of the region. Forest structure in plantations differs from that found in naturally regenerated stands. Their management is designed to focus site potential to maximize the growth of trees of a single species, and trees

are spaced to maximize fiber production over a 20- to 30-year period. Retaining a narrowly focused stand structure requires considerable management effort. This is evidenced by about 2.5 million acres of plantations transitioned to other forest types since the 1980s. Thus, over time and without intervention, plantations often become more diverse in terms of tree species composition. Their value as wildlife habitat will vary depending on the type and variety of vegetative species that diversify the stand. This increased diversity is greater in



B. Lea



Nonnative plants, such as Japanese honeysuckle, which occupies 7 million acres of southern forest land, can dominate the shrub and herb layers—often with little benefit to wildlife.


plantations established following harvest of natural pine or oak-pine forests, because they retain biological legacies from the preceding forest type, especially when plantations are mixed in with naturally regenerated forests and wetlands as in the Carolina Coastal Plain. Plantations established on converted agricultural sites can develop considerable grass and forb diversity in early stages, but because they lack the biological legacies of earlier forests, their vegetative diversity is limited for a longer period of time (chapter 4). Very dense stocking and use of herbicides can limit vegetative diversity throughout the entire rotation. The intensity of forest management has various effects on wildlife suitability. In addition to differences in forest structure, intensive pine management generally involves more frequent management activities. Depending on the circumstances (such as type of legacy, management strategy, density of stocking, use of herbicides, prescribed burning), these actions can disrupt, benefit, or have little effect on wildlife. Effects of management activities on wildlife are discussed in “Recreation.”

Another less commonly recognized phenomenon associated with intensively managed forests is their invasion by nonnative plants; additionally, other land uses have contributed to the spread of nonnatives in the South. Privet, kudzu, and other nonnative shrubs and vines displace native plant species and vary in their benefit to wildlife. Kudzu and Japanese honeysuckle alone now occupy more than 7 million acres of

land each (chapter 3). In some areas, nonnative vines can completely dominate the shrub and herb layer.

Expanded areas of pine forests in parts of the South have increased the availability and contiguity of host material for certain native pest insects and pathogens, especially southern pine beetle. However, short-rotation lengths and active management minimize what would otherwise be increased infestation risk. Damage from these pests is likely to be greatest in plantations that are not actively managed following establishment. These most commonly occur on nonindustrial private ownerships. Pest-appropriate management activities—which may include lower stocking rates, use of prescribed burning, active pest suppression, and sometimes reducing the frequency of stand-disturbing activities—may lower the risk of spreading infestations in these types of forests.

Overall mortality rates for softwoods have increased from about 0.6 percent of inventory per year in the 1960s to 1.0 percent per year in the 1990s. We expect pine mortality to remain high, especially at the periphery of the natural range of many pine species—for example, in Tennessee, Kentucky, and Virginia. In these areas especially, southern pine beetle will remain problematic for forest managers.



J. Miller

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the history, status, and projected future of human-made structures and habitats? ■ What are the history, status, and projected future of access on land? ■ What are the history, status, and projected future of animal populations? ■ How have human activities in the South and the world affect the status and projected future of forests? ■ How have they differ by region? ■ What are the current effects on forest? ■ What are the history, status, and projected future of forest ownership? ■ How are forests formed? ■ What are the history, status, and projected future of forest management? ■ What are the history, status, and projected future of forest products? ■ How do forests affect the quality of the environment? ■ What are the history, status, and projected future of supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Terrestrial Ecosystems



Fusiform rust causes heavy mortality to slash and loblolly pines along the Coastal Plain from Louisiana to South Carolina.

With respect to forest pests associated with pine types, we found that (chapter 17):

■ Five native diseases in the South have substantial impact on forests and two—annosus root disease and fusiform rust—have substantial commercial impacts on pine species. Fusiform rust is in epidemic status along the Coastal Plain from Louisiana to South Carolina (fig. 41). It causes heavy mortality of slash and loblolly pines. Annosus is more localized and limited by site factors, but it can cause severe root disease in thinned stands

H. Powers




Figure 41—Incidence of fusiform rust on more than 10 percent of slash and loblolly pine on Forest Inventory and Analysis plots. Source: Chapter 17, Figure 2.

if not treated. Littleleaf disease targets shortleaf pine and has encouraged the conversion of shortleaf sites to loblolly pine.

■ Several native insects have substantial influence on forests. The insect with the most substantial economic impact and habitat impacts for the endangered red-cockaded woodpecker is the southern pine beetle, which reaches epidemic levels at irregular intervals and causes high rates of mortality over broad areas (fig. 11). It prefers shortleaf and loblolly pine forests but also attacks other pine species. Longleaf pine, while susceptible, does not appear to be a preferred host species.

Southern pine beetles cause high rates of mortality in mature trees, especially in forests that are overstocked.



USDA Forest Service



■ Mature pine trees are more susceptible to damage from southern pine beetle than younger trees, so that public forests, with higher concentrations of older, more mature pine forests, are most likely to be attacked. Spillover of epidemics onto adjacent private land will continue to be a significant resource management issue for public forests in the South. Likewise, planted pine on nonindustrial private forest land with little management experiences higher mortality from southern pine beetle. The risk of damage can be reduced by utilizing management practices that reduce stocking.

**Upland hardwoods**—The upland hardwood type gradually expanded in the South between the 1950s and the 1990s but has been in a state of flux for more than a century. Many areas were permanently transformed by chestnut blight, which eliminated American chestnut from its dominant role in mountain forests in the eastern portion of the South beginning in the 1930s. Recent expansion of upland hardwood acreage has resulted from a combination of natural succession of pine forests and removal of the pine component from mixed pine-hardwood forests. Currently, the greatest expanses of the upland hardwood types (generally oak-hickory) are concentrated in the Piedmont, the Appalachian Mountains, the Ozarks, and the Cumberland Plateau. Urbanization, along with increased harvesting of hardwood timber, will continue to modify these forests in important ways, especially in the Piedmont. While the area of upland hardwoods is forecast to decline only slightly over the next few decades, it is likely

that these forests will become more fragmented in some areas, and in these places, will provide less interior forest habitat. In addition, indirect human influences related to increased population density will also be felt in these areas.

As with softwood forests, pathogens and insects have had important effects in hardwood forests, and they continue to spread within the South. As was the case with chestnut

Dogwood anthracnose and gypsy moths are two of the many nonnatives that are changing the composition of hardwood forests.



B. Lea

Insets-USDA Forest Service

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do the quality of the history, needs for and the South? ■ How do the technologies resultant from the future of biological disease in the South's affect it in various factors, such as the overall and what? ■ What is the future of forested land, status, trends in the management influenced by, and trends? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Terrestrial Ecosystems





Figure 42—Various nonnative diseases, (A) Dogwood Anthracnose, (B) Beech Bark Disease, (C) Butternut Disease, and (D) Oak Decline, affecting hardwood species in the South. Source: Chapter 17, Figures 11, 12, 13, and 6.

blight, most of these organisms are nonnative, or nonnative, and control options are either ineffective or limited in their potential application.

■ Oak decline, a disease complex affecting oak species, could have long-term consequences for the species

composition of hardwood forests in the South. It is prevalent in areas where oak species occupied the niche of American chestnut eliminated by the chestnut blight beginning in the 1930s. It is becoming especially widespread in the mountainous areas of the Southern Appalachians and the Ozark and Ouachita Highlands, on dry and infertile sites. Drought appears to worsen its effects.

■ Four nonnative diseases have had or will have substantial impact on southern forests (chapter 17). Each targets a single genus or species. Chestnut blight restructured Southern Appalachian forests, and the resulting trajectory of change has not completely played out. Based on current spread rates, beech bark disease is expected to cause substantial mortality to American beech and change its location in southern forests over the next 20 to 30 years. Butternut canker may completely eliminate butternut from southern forests. Dogwood anthracnose has already led to widespread decline of dogwoods with resulting aesthetic, economic, and wildlife implications (see fig. 42).

Hard mast, a staple for deer and other wildlife, is lost in forests where gypsy moth damage coincides with oak decline.

Virginia Department of Forestry



■ The hemlock woolly adelgid kills both the eastern and the Carolina hemlock and is currently moving down the Blue Ridge from the Shenandoah Valley. It threatens both species' occurrence in the wild. (chapter 3, chapter 17).

■ The gypsy moth continues its steady march from the North and is currently moving from Virginia into North Carolina. Based on current spread rates, this insect is expected to progress across the South over the next 20 to 30 years. Epidemics can last several years in a particular location and lead to the defoliation of most species, but oaks are most susceptible. Considerable alteration to forested ecosystems, including loss of hard mast, is expected where gypsy moth damage coincides with oak decline (chapter 17).

Many of these forest health concerns can be complicated by the exclusion of fire. Absence of fire can alter species composition, but its reintroduction is difficult because much of the upland hardwood forest type occurs in or near heavily populated areas. Compounding the challenges of maintaining healthy hardwood forests is expected increased tree mortality that would increase fuel loadings and the risk of severe fires.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Terrestrial Ecosystems

### Rare Forest Communities

**Primary Question** (chapter 1):

**What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South?**

**Related Question** (chapter 17):

**How have biological agents, including insects and disease, influenced the overall health of the South's forests, and how will they likely affect it in the future?**

Several forest communities have become limited to only a tiny portion of their original range and thus may be disproportionately impacted by future changes. There are 14 critically endangered communities (where losses of more than 98 percent of their area have occurred since European settlement) and 25 endangered communities in the South (losses between 85 and 98 percent of area). Most of these communities are in the following seven classes (see chapter 1):

- **Old-growth**—Less than 586,000 acres of forest area (0.3 percent) in the South is in an old-growth condition. Old-growth assemblages are diverse, and they exhibit unique structural characteristics such as multilayered canopies and large accumulations of woody debris. The largest tracts of these remnant forests are limited to a few ecological provinces. Most are on public land such as the Great Smoky Mountains



At high elevations in the Blue Ridge Mountains, spruce-fir forests are threatened by a combination of air pollution and attack by the nonnative balsam woolly adelgid.

USDA Forest Service

National Park and the region's national forests. Some very small tracts occur on private land. While most publicly owned old-growth forest is administratively protected, factors such as air pollution and forest pests will continue to alter them.

- **Spruce-fir forests**—They are limited to high elevations in the Blue Ridge Mountains. These are very scarce ecosystems containing unique assemblages of species with a high degree of endemism. They are threatened by a combination of nonnative pests and environmental factors. The nonnative insect having substantial impacts on these forests is the balsam woolly adelgid, which has already eliminated 95 percent of the mature Fraser fir from high elevation forests of the Southern Appalachians. A significant restructuring of this type of forest is anticipated. Additionally, soils in this community predispose



the area to changes in stream chemistry and other ecosystem damage from increased acid deposition derived from nitrous oxides (chapter 18).

■ **Wetlands, bog complexes, and pocosins**—They have been reduced in total area by land use conversions and changes in hydrologic regimes. Bogs and pocosins provide habitat for many rare herpetofauna and birds. They also provide important refuges for species in landscapes that are dominated by agriculture and intensive silviculture. Fire regimes are crucial to the sustainability of many of these forests, and the exclusion of fire has substantially altered them.

■ **Bottomland and floodplain forests**—Because they often occur on rich alluvial soils, a large share of these forests has been converted to agricultural uses, especially in the Lower Mississippi Alluvial Valley. Such forests, therefore, occupy only 20 percent of their original area. Certain forest pests can affect these forests. For example, the baldcypress leafroller, which defoliates and kills baldcypress, is prevalent in Louisiana swamps (chapter 17). Hydrologic alterations also alter the condition and structure of these forests.

■ **Glades, barrens, and prairies**—They are naturally treeless areas in Piedmont, Interior Plateau, Ridge and Valley, and Coastal Plain ecoregions of the South. These areas evolved under extensive fire regimes, and fire exclusion has caused substantial ecological modification and continues to impact remnants of these systems.



Drought-stricken baldcypress swamp in Mississippi.

B. Lea

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Terrestrial Ecosystems



K. Franzreb



J. Caldwell

Home to the red-cockaded woodpecker and other rare and endangered species, longleaf pine ecosystems depend on fire for regeneration, but their recovery is being slowed by urbanization and public concerns about prescribed burning.

■ **Longleaf pine ecosystems**—They once covered much of the South's Coastal Plain. They now occupy only 2 percent of their original range. The herb layer of these forests is one of the most diverse in the world. They are home to several threatened or endangered species, such as the red-cockaded woodpecker, and several species with high rates of endemism. Decline in these systems is attributable to several factors, including removal of original stands followed by fire exclusion, conversion to other pine species, conversion to other land uses, and the introduction of livestock. Brown-spot needle

disease infects longleaf pine seedlings and therefore hampers efforts to restore the longleaf ecosystems across the South. Current concerns include continued urban development and difficulty in reestablishing fire regimes.

■ **Atlantic white cedar swamps**—They have been reduced to 10 percent of their original range. They persist only in isolated small stands. As with pocosins, they provide for diverse wildlife refuges in intensively managed forest and agricultural landscapes.

Several increasingly rare types of wetlands—Atlantic white cedar swamps, bottomland forests, wetlands, bog complexes, and pocosins—are concentrated on private land, so their future condition is dependent on the decisions of their numerous owners. The spruce-fir and old-growth ecosystems are found mainly on public land. Old-growth is protected but is susceptible to invasion by nonnative species, damage from air pollution, and restructuring due to fire suppression. Among rare forest communities, the spruce-fir ecosystem is currently under the most stress due to a combination of nonnative insects and environmental stressors. Most remnant longleaf pine forests occur on private land and may be impacted by development, both directly through their conversion and indirectly due to the difficulty of providing the necessary fire regimes in areas of mixed ownership and high population density. Restoration efforts are underway, but challenges to restoring the longleaf pine ecosystem are great.



## Effects of Land Use Changes

**Primary Question (chapter 3):**

**What are the likely effects of expanding human populations, urbanization, and infrastructure development on wildlife and their habitats?**

**Related Question (chapter 6):**

**How have land uses changed in the South, and how might changes in the future affect the area of forests?**

The use and configuration of forest land can influence the suitability of forests as habitats for wildlife species. However, at this time, there are no regional-level models for explicitly forecasting the effects of land use changes on wildlife. To address how land use could affect terrestrial ecosystems, we surveyed the body of research on the effects of various land uses and management on terrestrial animal species and found:

- Urban land uses have important impacts on bird populations. Urbanization restructures forest habitat by decreasing forest area and patch size while increasing edge relative to interior forest habitats (see chapter 1). As a result, avian species composition is altered, nest predation increases, and habitats become isolated. Often bird diversity remains high, but there is a shift in species represented. For example, urbanization generally leads to declining populations of



This yellow-breasted chat in Texas is among the Neotropical migrants likely to decline with forest fragmentation.

R. Phillips

forest insectivores, Neotropical migrants, and forest interior specialists (chapter 3).

- While the greatest impacts of urbanization seem to be related to habitat fragmentation and loss, increased human presence also has indirect effects. Evidence suggests that the presence of houses adjoining forest tracts can reduce the habitat value of those tracts for sensitive Neotropical migrant birds.

- Urban environments support fewer species of mammals than rural areas and tend to support habitat generalists rather than specialists. Highly urbanized settings support large populations of nonnative species such as the house mouse and Norway rat. With green spaces in the urban area, many more species, especially small species, may persist. Mammalian predators such as bobcats and gray fox are generally excluded from habitat in highly developed areas. Urbanization also tends to

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Terrestrial Ecosystems



USDA Forest Service

The timber rattlesnake in east Texas is an urban-sensitive species.

exclude specialized species of reptiles, amphibians, and invertebrates while generalists can persist in even highly urbanized areas. Fragmentation can isolate otherwise suitable habitats. Examples of urban-sensitive species include the gopher tortoise and the timber rattlesnake in east Texas.

■ As urbanization reduces and fragments some forest areas, the remaining large forest tracts on public and private lands may increasingly contribute to the conservation of many sensitive wildlife species. Given the importance of

landscape structure in determining the suitability of habitats in urban and agricultural areas (chapter 3), maintaining habitat connectivity can enhance ecosystem function in these areas.

■ Red imported fire ants have a substantial impact across an increasing range in the South. While most abundant in open habitats, they invade forests from along the margins created by roads and power lines. These ants displace and/or prey on native arthropods, reptiles, amphibians, and rodents, disrupting food webs and restructuring forested ecosystems (chapter 3).


■ Several other nonnative animals, such as feral pigs, cats, dogs, and birds influence wildlife through predation, displacement of native species (especially birds), and habitat destruction (especially pigs). Localized impacts may be severe. For example, impacts of feral pigs have become very serious in

B. Lea



Birds and other species benefit from the habitat connectivity provided by vegetated fencerows in agricultural areas.

T. Bodner



The switch to “clean pastures” dominated by tall fescue and other nonnative cool season grasses has caused declines in bird species.

rare wetlands in the Ozark-Ouachita Highlands. Population growth and expanding wildland-urban interfaces will result in growing problems with feral domestic animals (chapter 3).

■ Agricultural land is often interspersed with woodlots and other forest habitat. Habitat connectivity, which is often provided by vegetated fencerows, greatly influences the presence of birds and other species in agricultural areas. Isolated forest habitats can serve as ecological traps for some species by focusing populations in small areas along with a high concentration of nest predators (chapter 3).

■ Many bird species that depend on open habitats such as grasslands, prairies, savannas, glades, and barrens are now in serious decline in the Eastern United States. Declines are partially explained by the conversion of pastureland to cultivated row crops, the switch to “clean pastures” dominated by nonnative cool-season grasses, and by the loss of fencerows as new agricultural technologies favor bigger fields.

■ Forecasts of land use change and measures of forest fragmentation suggest that bird species may be subjected to the most change in the Piedmont subregion (chapters 1 and 6). Accordingly, we anticipate declines of Neotropical migrants and forest interior specialists in these areas. Implications for Neotropical migrants may be especially important, since this group of birds is experiencing global decline.

Agricultural fields are being converted to planted pines, which, when young, support increases in the richness and diversity of wildlife species.

## Effects of Forest Management

**Primary Question** (chapter 4):

**What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South?**

**Related Question** (chapter 16):

**What are the history, status, and projected future of southern forests?**

Forest management, by definition, affects the structure and distribution of forest conditions. Forest types have been dynamic in the South, with upland hardwood types increasing



R. Kindlund

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies and the resultant ■ What are the projected future of ■ How have biological ■ What are the effects and disease ■ What is the health of the South's ■ How likely affect it in ■ What are the abiotic factors, ■ What are the natural stressors such ■ How have the overall ■ What are the forests, and what ■ What is the future to be? ■ What are the likely future ■ What are the southern forested ■ What are the history, status, ■ What are the wetlands in the ■ What are the forest management ■ What are the uses influenced ■ What are the habitat, and ■ What are the forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Terrestrial Ecosystems



B. Lea

Mature trees and snags in and near plantations help to maintain wildlife species ranging from small mammals to the birds that prey on them.

between the 1950s and the 1990s, lowland hardwood types essentially stable since the 1970s, and pine types in considerable flux. Net changes in forest are the result of several offsetting changes. For example, natural pine types are reclassified to upland hardwoods as a result of succession, while some upland hardwoods are converted to planted pine. All forest types are converted to urban uses, and agricultural fields are converted to planted pine (“Broad Forest Types” and chapter 16).

Silvicultural treatments can have important implications for wildlife. Timber harvesting, especially clearcutting, as well as afforestation of agricultural fields restarts successional processes. Young stands, especially those that follow timber harvesting, exhibit an increase in species richness and species diversity. Many wildlife species thrive in these early successional communities. After canopy closure, plant diversity generally decreases and wildlife use declines. Uneven-aged management that encourages several age classes of trees can sustain benefits for many but not all wildlife species due to the resulting stratified forest canopy. However, these benefits may lessen somewhat if stand entries are more frequent (chapter 4).

Planted pines, while sometimes characterized as monocultures, vary considerably in their composition. Wildlife species that thrive in early successional habitats use plantations heavily during the first few years after planting,

although habitat values decline with heavy stocking, application of herbicides, and other intensive management practices. Browse is abundant, and several mammals graze these stands. Small mammals are abundant, thus raptor use is high. Many priority Neotropical migrants use pine plantations after the first thinning or use lower stocked areas where hardwoods are allowed to thrive in the understory (usually stands managed for sawtimber). Several Neotropical migratory birds use plantations early on, when insects and seeds are abundant. After canopy closure, plant diversity decreases and wildlife use declines.

Shelterwood cutting is a harvesting alternative that takes place in two or more phases, thus, leaving mature trees to reseed the stand and provide habitat for wildlife.



B. Lea



Road building can isolate Carolina bays from the terrestrial component of salamander habitat.

Forest management can be augmented with techniques to directly enhance wildlife habitat. These include leaving mature trees in a stand to enhance structural diversity, application of streamside management zones to retain landscape diversity, and retention of snags to provide nesting habitat (chapter 4). Additional wildlife benefits may be obtained with natural regeneration techniques such as seed-tree cuts and shelterwoods, and with management practices such as midrotation thinning and prescribed burning.

Gauging the effects of forest management on mobile wildlife populations requires more than an understanding of stand-level dynamics. It requires insights into the overall landscape structure of forests within the region. Although this type of analysis is relatively new, several studies have examined the effects of forest fragmentation on wildlife species, especially birds. We found that (chapter 4):

- Studies have documented declines in migratory bird species from isolated forest patches, especially where agricultural and urban uses represent substantial components of the landscape. However, in heavily forested areas—70 percent or more forest—these negative effects do not occur. Accordingly, in large portions of the southern landscape, these fragmentation effects are not a substantial concern. They include the Southern Blue Ridge, Cumberland Plateau and Mountains, and Ozark and Ouachita Mountains.

- Forest fragmentation and negative edge effects are most prevalent in Ridge and Valley, Piedmont, Interior Low Plateau,



B. Lea

and the Mississippi Alluvial Plain where agriculture and development dominate the landscape. In these areas, forest operations may impact fragmentation effects on wildlife.

- In heavily forested areas, forestry practices may provide important benefits for forest-breeding bird species through provision of early successional habitats. This is especially true for areas where existing hardwood forest structure is dominated by closed canopy stands and sparse understories or where dense pine stands and fire suppression exclude pine specialists.

Landscape configuration and fragmentation at fine scales may be critical for some species, especially amphibians, even in heavily forested areas. For example, persistence of pond-breeding salamanders requires access between terrestrial habitat and vernal ponds or Carolina bays. Roads and certain kinds of management practices can isolate these two habitat

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are

of expanding humanization and infrastructure on wildlife and their habitats? ■ Historical and projected future management and access on lands in the South? ■ What is needed to maintain animals in the South? ■ How have land uses changed in the South and what in the future affect the landscape? ■ What are the attitudes and values of residents toward forests, and how have they changed? ■ How do they differ by region, and do they differ by age, sex, and income? ■ How do current forest policies, laws, and regulations affect forest management? ■ What are the attitudes of forest landowners toward forest land and how are they changing? ■ What objectives have been formed? ■ How do forests play in employment and recreation in the South? ■ What are the demands for forest-

based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might external factors influence forest conditions? ■ What is the history, status, and projected future of southern forest agents in the South? ■ How have forest agents influenced forest management and the future of forests including as air pollution, health of forests, and future water quality? ■ What are the history, status, and likely future of water quality in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

Terrestrial Ecosystems

The gopher frog is listed as a “species of concern” by the Florida Fish and Wildlife Conservation Commission.

components. Spatial configuration of forest habitat is also an important factor in the recovery of federally listed subspecies of black bears in Louisiana and the black bear subspecies of conservation concern in Florida (chapter 4).

Across the South, more threatened and endangered species are affected by increased isolation of shrub-scrub and grassland habitats than are affected by scarcity or fragmentation of mature forests. The ultimate challenge for forest management then is to provide habitat conditions that support the array of grassland, shrub-scrub, and mature forest species occurring within the same landscape.



F. Sunquist

Wildlife Species of Concern

Primary Question (chapter 5):

What conditions will be needed to maintain animal species associations in the South?

Related Question (chapter 2):

What are the history, status, and projected future of native plant communities in the South?

Substantial alterations to forested communities have impacted several terrestrial species in the South. To enumerate and examine species of concern, the databases of the State Natural Heritage agencies were used to list species by their global conservation rank. The global ranks reflect scarcity for the entire range of the species. These ranks include presumed extinct, possibly extinct, critically imperiled, imperiled,

Table 2—Terrestrial species, species of concern, and critically imperiled species in the South by taxa<sup>a</sup>

Taxa	Total species	Species of concern		Critically imperiled species	
	No.	No.	Share of total	No.	Share of total
Amphibians	170	54	0.32	19	0.11
Reptiles	197	40	.20	3	.02
Mammals	246	18	.07	2	.01
Birds	595	20	.03	4	.01
Total	1,208	132	.11	28	.02

<sup>a</sup> These numbers include Texas and Oklahoma in their entirety. Source: Chapter 1.



forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the likely future of forest operations? ■ How have biological resources and disease affected the health of the South's forests? ■ How likely are they to affect it in the future? ■ How have abiotic factors, such as drought, influenced the overall health of the South's forests, and what are future expectations likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



Florida scrub-jay is an endangered species of the ancient Florida scrub.

A photograph of a Blue-headed vireo perched on a branch with green leaves against a clear blue sky. The bird has a blue head and back, and a greyish-brown body. It is facing left.

R. Lea

The South contains several areas where the number of endangered species is high, including the Southern Appalachians, Atlantic and eastern gulf coast flatwoods, gulf coast marsh and prairie, and peninsular Florida. Loss of habitat is the primary cause of endangerment of terrestrial vertebrates. Forests, grasslands, shrublands, and wetlands have been converted to urban, industrial, and agricultural uses. Other factors include environmental contamination and commercial exploitation. Florida and Texas are the States with the greatest numbers of endangered vertebrate species (fig. 43).





Figure 43—The distribution of terrestrial vertebrates listed as endangered throughout the South. Source: Chapter 5, Figure 7.

- Of the 1,208 vertebrate species known to exist in the South, 132 are considered to be of conservation concern. Twenty-eight species are classified as critically imperiled.
- Seven southern terrestrial vertebrate species are now presumed extinct.



## Terrestrial Ecosystems



Concentrations of rare vascular plant species are found in the Southern Appalachians.

B. Lea

The South also has a large complement of rare plants. Rare vascular plant species are not evenly distributed throughout the South. Concentrations of rare species diversity occur in the Southern Appalachians, the Florida Panhandle, and the Lake Wales Ridge region of Florida. Rare species are also concentrated in the Ouachita Mountains and on the Cumberland Plateau (chapter 2) (fig. 44).




Figure 44—Distribution of imperiled vascular plant species in the South based on the number of occurrences in counties. Source: Chapter 2, Figure 2.




Figure 45—The distribution of public land in the South. Source: Chapter 1, Figure 24.

## Conservation Issues

Management of public land includes protecting biodiversity through ecosystem or landscape-level management. About 11 percent of the South's forests are in a public ownership, and these areas tend to be concentrated in mountainous areas (fig. 45). For some rare communities, public lands are critical to conservation—for example, for protecting old-growth areas and high-elevation spruce-fir ecosystems in the Southern Appalachians. Often, however, rare plant communities and critically imperiled species do not occur on public land. The management of private forests, therefore, will have a substantial impact on the persistence of many species of concern in the South.

In the Coastal Plain and Piedmont, large blocks of public land are scarce, so ecosystem management strategies can only succeed through the cooperation of multiple landowners. Such collaborations are beginning to emerge. Land trusts have acquired land with high ecological value. Landscape-level consortiums are emerging to address ecosystem maintenance and restoration. Coordinated research and conservation have focused on understanding and restoring longleaf pine ecosystems.

The conservation value of public land may be high in some areas because public land can provide scarce interior forest habitat and older forests.

In urbanizing landscapes, public tracts can be factored into conservation strategies pursued by local planners. The principal vector of ecological change in these areas is

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Terrestrial Ecosystems



K. Franzreb

Local planners can retain forest connectivity in urbanizing landscapes to provide habitat for Neotropical migratory birds.

fragmentation, and efforts to design development so some forest connectivity is retained could provide important habitat and other benefits, especially for Neotropical migratory birds.

The effects of human activities on forests are pervasive, even where there is no direct management activity. Hence, conservation requires careful monitoring of forest conditions and active management responses, even in remote areas.

The exclusion of fire remains a critical and widespread issue affecting the health of terrestrial ecosystems. The impacts of fire exclusion from longleaf pine communities are now well understood, not only for pine management, but also for other associated plant and wildlife species. The impacts on other systems, such as upland hardwoods, are less well known but likely linked to ongoing forest health problems. While some progress has been made, the effective reintroduction of fire into forest ecosystems remains a critical forest conservation challenge in the South.

USDA Forest Service



Effective reintroduction of fire into forest ecosystems remains a critical conservation challenge for forest managers.



# Water Quality, Wetlands, and Aquatic Ecosystems

Uses of land in the South over the past three centuries have dramatically altered watercourses and wetlands. Ongoing forces of change will continue to directly and indirectly impact water quality, wetland functions, and aquatic species. Still, the South's forests produce water of high quality, and the biological diversity of the South's aquatic ecosystems is substantial. In this section, we examine water quality and the effects of forest uses on water quality, forested wetlands, aquatic species of concern, and conservation issues regarding water and aquatic ecosystems in the South.

B. Lea



Ozark National Forest in Arkansas.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal

? ■ How south and affect the tudes and rd forests have they differ by o current fect forest ? ■ What wners to how are formed? ployment ? ■ What for forest-ommodity How do ne quality ne history, ds for and ne South? s of forest n? ■ How nologies e resultant t are the future of biological

agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



B. Lea

Agriculture and urbanization are the primary causes of water-quality impairment and wetland loss.

Land uses and management strongly influence the quality of the water flowing from forests. We examined the overall condition of southern water quality and primary sources of water-quality impairment (chapter 19), forest management's effects on water quality (chapter 21), and the effectiveness of water-quality protection efforts through BMPs employed during forest treatments (chapter 22).

Water quality in the South has been heavily influenced by a long history of intensive land uses. Conversion of forests and forested wetlands to primarily agricultural uses started in the late 1700s, and extensive logging began after the Civil War. These activities resulted in severe soil erosion and heavy sedimentation of nearly all southern waterways. Urban expansion permanently altered hydrology and created chronic point and nonpoint pollution. The legacies of these actions are still evident and complicate our ability to discern the effects of current management and to measure trends in water quality. These historical legacies and the effect of ongoing urbanization continue to influence water quality, stream channel stability, and aquatic life in the South.

Beginning with the passage of the Clean Water Act in 1972, public agencies have focused increasing attention on minimizing pollution—including nonpoint-source pollution—from land-disturbing activities. However, water quality in southern streams and rivers remains variable.

## Water Quality

**Primary Question** (chapter 19):

**What are the history, status, and likely future of water quality in southern watersheds?**

**Related Questions** (chapters 21 and 22):

**How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? What are the implementation rates and effectiveness of BMPs in the South?**



Figure 46—Overall characterization of water quality in southern watersheds. Source: Chapter 19, Figure 4.

Figure 46—Overall characterization of water quality in southern watersheds. Source: Chapter 19, Figure 4.

Figure 46—Overall characterization of water quality in southern watersheds. Source: Chapter 19, Figure 4.

Figure 46—Overall characterization of water quality in southern watersheds. Source: Chapter 19, Figure 4.

Figure 46—Overall characterization of water quality in southern watersheds. Source: Chapter 19, Figure 4.

Figure 46—Overall characterization of water quality in southern watersheds. Source: Chapter 19, Figure 4.

Figure 46—Overall characterization of water quality in southern watersheds. Source: Chapter 19, Figure 4.



Figure 46—Overall characterization of water quality in southern watersheds. Source: Chapter 19, Figure 4.



Figure 46—Overall characterization of water quality in southern watersheds. Source: Chapter 19, Figure 4.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely impacts of expanding human population, development and infrastructure on wildlife and their habitats? ■ What are the current and projected future management and access on public lands in the South? ■ What are the management actions needed to maintain animal populations in the South? ■ How have forest uses changed in the South and what changes in the future affect the forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by geographic groups? ■ How do current regulations, and laws affect forest resource and their management? ■ What motivate private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do we measure the quality of forests? ■ What is the history, status and projected future of forest lands for and in the South? ■ What are the impacts of forest fragmentation? ■ How do forest management technologies and policies are resultant? ■ What are the factors that are the drivers of the future of forests? ■ What are the biological and ecological disease threats to the South's forests? ■ How do we affect it in the future? ■ What are the factors, such as climate change, that influence the overall health of forests and what can be done? ■ What are the likely future impacts of climate change on forested lands? ■ What are the history, status, and projected future of forest lands in the management and conservation? ■ What are the factors that influence forest management, and what are the future prospects? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Water Quality, Wetlands and Aquatic Ecosystems

The South has lost more than one-half of its forested wetlands.

■ Southern forests play an important role in maintaining and improving water quality in the South. Forested watersheds have consistently been shown to have lower sediment and nutrient yields and better aquatic biological conditions than nonforested watersheds (chapter 19).

■ When properly implemented and maintained, silviculture BMPs are effective in controlling nonpoint-source pollution. In their absence, however, water quality can be significantly impacted by forest management activities (chapter 21).

■ All southern States have adopted voluntary BMPs to protect water quality during silviculture operations. Twelve of the 13 Southern States have conducted surveys to measure BMP implementation; Oklahoma is in the process of conducting its first survey (chapter 22).

■ States report generally high rates of implementation. However, compliance rates vary from 35 percent to 100 percent depending on the State, ownership, or BMP category. Overall BMP compliance tends to be highest on public and industrial private land and lower on nonindustrial private land. Direct landowner assistance appears to be positively correlated with proper BMP implementation (chapter 22).

■ Differences in monitoring methods among States and within States over time preclude reporting of regional BMP trends (chapter 22).

■ There is very little information available on the cumulative effects of past and ongoing timber harvesting and management on overall watershed health (chapters 19 and 21).



USDA Forest Service

## Forested Wetlands

Primary Question (chapter 20):

**What are the history, status, and likely future of forested wetlands in the South?**

The South has numerous types of forested wetlands, which provide a diverse array of water-quality, flood attenuation, and wildlife habitat benefits. Wetlands of various types have experienced significant structural changes and permanent losses. While the rate of wetland loss is declining, the South has lost more than half of its wetlands between colonial times (1780) and the 1990s.

In the late 1990s, the 10 Southeastern States (the Assessment region minus Virginia, Texas, and Oklahoma) contained

approximately 32.6 million acres of forested wetlands (chapter 20). More than half of the region's wetlands are contained in the Coastal Plain provinces.

Forested wetlands are highly diverse but can be placed into three major categories: riverine, depression, and flatwoods.

**Riverine wetlands**—They represent the vast majority of forested wetlands in the South. They are located on floodplains and riparian corridors associated with streams and include



B. Lea

deepwater swamps and alluvial floodplains that range in size from narrow riparian strips to broad alluvial valleys. The major water sources are overbank flooding and subsurface connections with stream channels. Riverine forested wetlands store water, intercept and cycle nutrients and toxicants, and provide environments for wetland flora and fauna. They may mitigate flood damage, enhance

Riverine  
wetland.

water quality, and support characteristic ecosystems. Because they provide linear connections across landscapes often dominated by other land uses, these types of wetlands also serve as important corridors for the dispersal of wildlife species.

**Depression wetlands**—They include pocosins, Carolina bays, pond cypress swamps, and mountain fens. These wetlands derive from topographic depressions and receive water from a variety of sources including precipitation, overland flow, and ground water. As with riverine types, benefits are associated with water retention and filtration and provision of wildlife habitat. Most depression wetlands are located low in a watershed, allowing them to play an especially important role in removing sediments, nutrients, and pollutants. Because their vegetative structure is typically very heterogeneous, these areas support highly diverse plant and animal communities. Carolina bays are located throughout the Atlantic Coastal Plain, and cypress domes are located primarily in Florida. Both provide especially important breeding grounds for imperiled amphibians.

Depression  
wetland.

B. Lea



## Water Quality, Wetlands and Aquatic Ecosystems

B. Simon



Mineral soil flat.

mineral soil flats and less than 1 million acres of depression wetlands. We found that (chapter 20):

■ All three types of forested wetlands have been and continue to be influenced directly and indirectly by development. According to the National Wetland Inventory, 3.5 million acres of southern forested wetland underwent changes between 1986 and 1997. Ninety percent of the changes were conversions to another wetland or aquatic habitat type. Of these conversions 95 percent were to scrub-shrub or emergent wetlands. During the same time period, approximately 119,000 acres of forested wetland went into urban and rural development, 112,000 acres to agriculture, and 102,00 acres to intensive silviculture. Draining and filling of wetlands impairs water storage capacity and therefore flood protection capacity and water filtration functions.

■ Upstream urban development and certain agricultural and silvicultural practices can alter wetland functions.



Alligator on the Big Cypress Preserve in Florida.

B. Lea

**Mineral soil flats**—They are predominately wet pine flats, shaped by a combination of fire and water regimes. They are commonly found on areas between rivers—called interfluvies—on extensive lake bottoms or on large floodplain terraces. The main sources of water are precipitation and slow drainage associated with a landscape of low relief. If subjected to periodic fire, these flats have very few trees. Frequent fire and an uninterrupted hydrologic regime yield a highly diverse and unusual floral assemblage. Their herbaceous species richness is considered to be among the highest in the Western Hemisphere.

Riverine wetland types dominate in the South, representing 91 percent of forested wetland area, compared to approximately 2.5 million acres of



B. Lea



A photograph showing two black cormorants in a mangrove environment. One bird is perched on a piece of driftwood in the foreground, facing left. The other bird is perched on a higher branch of driftwood in the background, facing right. The background is filled with dense green mangrove foliage. The water in the foreground is calm and reflects the surrounding greenery.

### An examination of wetland history and status revealed:

■ Rates of wetland losses have declined since the 1970s, largely as a result of Section 404 of the Clean Water Act, which regulates dredging and filling of wetlands. However, functional changes continue to occur in some forested wetlands as a result of continued urbanization, intensification of forest management, fire exclusion, and alteration of hydrologic regimes.

■ Information on mitigation and restoration pursuant to Section 404 of the Clean Water Act is not systematically compiled and reported. Thus, successful implementation of required mitigation is not reportable.




Figure 47—Number of acres enrolled in WRP Program based on 1992 to 1997 Natural Resources Inventory data. Source: Chapter 20, Figure 4.

## Water Quality, Wetlands and Aquatic Ecosystems



*B. Lea*

Dam construction has irreversibly changed habitats for certain snails and freshwater mussels.

### Aquatic Species of Concern

**Primary Question** (chapter 23):

**What are the history, status, and likely future of aquatic habitats and species in the South?**

The South's streams, riparian areas, and wetlands contain a great diversity of aquatic life (chapter 23). For example, 91 percent of the freshwater mussels described in the world are present in the South. Modification of aquatic and wetland habitats has greatly influenced this biota, and effects of past actions are in some cases particularly severe. For example,

dam construction has irreversibly changed habitats for certain snails and freshwater mussels that depend on free-flowing water.

To enumerate and examine species of conservation concern, the databases of the State Natural Heritage agencies were used to list species by their global conservation rank. The global ranks reflect scarcity for the entire range of the species. These ranks include presumed extinct, possibly extinct, critically imperiled, imperiled, vulnerable, apparently secure, and secure. Species of conservation concern include those that are critically imperiled (extremely rare—observations include 5 or fewer locations or fewer than 1,000 animals—or otherwise vulnerable to extinction), imperiled (rare—observations





Rare amphibian species are concentrated in the Southern Appalachians, the Florida Panhandle, and central Texas.

U.S. Fish and Wildlife Service

in 6 to 20 locations or fewer than 2,000 animals—or otherwise vulnerable to extinction), or vulnerable (21 to 100 locations or 3,000 to 10,000 animals or found only locally in a restricted area). We evaluated the status of the region's aquatic species of concern (chapter 23) and found:

■ **Amphibians**—Thirty-one amphibian species of concern, including 28 salamanders, 2 frogs, and 1 toad are located in the South. These rare amphibians are concentrated in three areas: the Southern Appalachians, the Florida Panhandle, and central Texas. Many species in the Appalachians are concentrated in national forests and national parks. In the Florida Panhandle, habitat is largely in private ownership (fig. 48).




Figure 48—The rare aquatic amphibians have three areas of concentration in the South: central Texas, the Southern Appalachian Mountains, and the Panhandle of Florida. Source: Chapter 23, Figure 18.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How are existing and new technologies influencing forest operations and the resultant uses of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Water Quality, Wetlands and Aquatic Ecosystems



W. Roston

The pocketbook mussel is a species of concern on the Cherokee National Forest in Tennessee.

■ **Mussels**—The South contains the highest diversity of mussel species in the world; 91 percent of the world's known species occur here, and almost 80 percent of them are endemic to single watersheds. The region has 191 mussel species of concern; 67 are critically imperiled. Among several key river basins, the Tennessee, Cumberland, and Mobile basins host particularly diverse populations of rare mussels (fig. 49). Because mussels are long-lived species (up to 100 years), population trends reflect habitat modifications that occurred decades earlier. Declines in mussels are most critically linked to channelization and damming of rivers and the associated modifications to streambeds, water flow, and sedimentation. Extirpation of fish species that serve as hosts to mussel glochidia (juvenile mussels) also contribute to mussel decline.




Figure 49—Rare mussels occur in all 11 of the aquatic fauna provinces described by Parmalee and Bogan (1998). The Cumberland Province, including the Tennessee and Cumberland River systems, supports the greatest number of rare mussels. Source: Chapter 23, Figure 12.

The “lure” of the pocketbook mussel attracts a redeye bass, one of the fish species that serve as hosts to juvenile mussels.

W Haag



Many fish species, like this Niangua darter, are narrowly endemic and, therefore, are vulnerable to the effects of one or two isolated events.

The introductions of nonnative species (Asian clams and zebra mussels) have also accelerated the decline of native mussels.

■ **Crayfish and other crustaceans**—The South contains a broad diversity of crustacean species, including 159 species of concern and 60 that are critically imperiled. While they occur throughout the South, the area with largest concentration of crustacean species is the Florida Panhandle. Because the species are generally endemic to very small areas, modification of these habitats can have substantial impact on their viability. While crayfish are generally very resilient—able to withstand transitory habitat modifications—habitat destruction in small areas can eliminate entire populations.

■ **Fish**—The South contains 165 fish species of concern in 14 different families, and their occurrence is widespread. With the exception of central Mississippi and southern Florida, rare fish are present throughout the South (fig. 50). Many of these species are narrowly endemic, especially the darters, minnows, topminnows, catfish, gambusia, and sculpins. Because of this high degree of endemism, a few events or even a single event can have substantial impact on species viability. Declines have been associated with a wide variety of factors, including habitat modification, pollution, sedimentation, damming, introduced species, and interruption of water flow.

■ **Snails**—The South has 127 snail species of concern: 104 utilize stream habitat, 22 are found in springs and caves, and 1 is a lake snail. The snails found in springs and caves are narrow endemics concentrated most in Florida. They are

## Water Quality, Wetlands and Aquatic Ecosystems



W. Roston.




Figure 50—Rare fish occur in all 11 of the aquatic fauna provinces described by Parmalee and Bogan (1998). The Cumberland Province, including the Tennessee and Cumberland River systems, supports the greatest number of rare fish. Source: Chapter 23, Figure 15.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the effects of expanding human organization and infrastructure on wildlife and their habitats? ■ What are the historical and projected future of forest management and access on ecosystems in the South? ■ What are the needs to maintain animal populations in the South? ■ How have forests changed in the South and what changes in the future affect the forest? ■ What are the attitudes and behaviors of forest residents toward forests, forest management, and how have they changed over time, and do they differ by region? ■ How do current forest policies, regulations, and laws affect forest management? ■ What are the challenges to forest landowners to manage forest land and how are forest management objectives formed? ■ What role do forests play in employment and recreation in the South? ■ What are the demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forest types and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supply of forest products in the South? ■ What are the status and trends of forest management practices in the South? ■ How have forest operations and the resultant effects on forests changed? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are the future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?



## Water Quality, Wetlands and Aquatic Ecosystems

especially susceptible to ground-water contamination and sedimentation. Eighty-nine of the 100 stream species are in the Tennessee and Mobile River Systems. Because they require free-flowing water, damming has had the greatest impact on these species. Remnant subpopulations are isolated, thereby limiting within-population genetic variability. Snails are also susceptible to pollution and to predation and competition from nonnative species (e.g., zebra mussels).

■ **Insects**—One hundred seventy-six insect species of concern—including 64 stoneflies, 60 caddisflies, 31 dragonflies, and 4 damselflies—are found in the South. Their nymphal stages require clean flowing water for effective

feeding. Adults forage in adjacent terrestrial habitats. Declines have been strongly associated with dams, which reduce flow and allow for sedimentation of habitat. All of these species are vulnerable to further sedimentation and pesticide pollution.

■ **Reptiles**—Nineteen species of concern, including one critically imperiled species, are found in the South. Many of these species are located in a large contiguous area stretching from central and southern Mississippi and Alabama to the Florida Panhandle. While these species are generally resilient, they are narrow endemics and so especially susceptible to local events. Specific threats include harvest for pets, indiscriminant killing, and damage to nests.

The sand skink is a reptile that is federally listed as “threatened.”

*B. Simons*





## Conservation Issues

**Primary Question (chapter 20):**

**What are the history, status, and likely future of forested wetlands in the South?**

**Related Question (chapter 23):**

**What are the history, status, and likely future of aquatic habitats and species in the South?**

Roughly half of the South's forested wetlands were lost between colonial times (1780) and the 1990s, primarily through clearing for agriculture. In the last decade, attention has begun to focus on restoring these areas, primarily in the Lower Mississippi Alluvial Valley where the most extensive loss of forested wetlands has occurred. Much of the restoration activity has been funded through the Wetland Reserve Program, which encourages afforestation of agricultural areas and supports conservation easements of up to 30 years or into perpetuity.

Through the Wetland Reserve Program and several other restoration programs, about 195,000 acres in the Lower Mississippi Alluvial Valley have been replanted. However, the full restoration of wetland functions requires much more than tree cover. The effects of massive deforestation, extensive



Wetland losses have slowed after the Clean Water Act and the Wetlands Reserve Program.

USDA Forest Service

drainage systems, and channelization of streams and rivers make restoration of geomorphic, hydrologic, and ecological processes extremely difficult. Wetland restoration activities will require long-term efforts extending far beyond initial tree planting.

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Water Quality, Wetlands and Aquatic Ecosystems



W. Haag

The fine-lined pocketbook, which is federally listed as “threatened,” is found on the Talledega National Forest in Alabama.

high value on disseminating information on the locations and natural histories of endemic species.

Several focal areas for aquatic species are defined by this analysis. One is northern Florida, including the Panhandle, which has a concentration of rare reptiles, amphibians, snails, and crayfish. Rare mussels and snails are concentrated in the Mobile and Tennessee River Systems. The Southern Appalachians also have a very high concentration of the rare amphibians. These are areas where aquatic ecosystems are especially susceptible to structural changes in aquatic and adjacent terrestrial ecosystems.

Forest management usually has a relatively small role to play in the persistence of aquatic species. Habitats of mussels and snails have been completely restructured by damming and sedimentation from large-scale land use conversions. These impacts are essentially irreversible. For some species, forest management approaches play important roles in species persistence. BMPs that reduce sedimentation and maintain streamside vegetation are especially important in protecting species that depend on streamside habitats. These include crayfish, amphibians, snails, and insects, especially in areas of concentration defined above. Conversely, forest practices or other activities that disturb habitats along streams can have a disproportionately significant impact on certain aquatic species.

A regulatory effort is the mitigation of wetland losses. These projects, carried out under Section 404 of the Clean Water Act, have been applied in several locations. However, a lack of systematic record keeping and monitoring prevents a regional assessment of their effectiveness. Some local assessments of these programs indicate that they may have only limited success in replacing the wetland functions lost through permitted conversions.

This Assessment of aquatic species highlights the prevalence and importance of endemism, in which a species’ range is limited to a narrow geographic area. Crayfish, reptiles, fish, and snail species of concern are predominantly endemic. As a result, local actions can have substantial impacts on local species persistence, so that in some cases altering even small amounts of habitat can have significant implications. This potentially disproportionate impact of small actions places a



Wildfire kills trees and threatens nearby homes on the “wildland-urban interface.”

## Discussion

### Broad Findings

Currently several forces of change are altering southern forests, raising questions about the sustainability of their functions and values. The first steps toward achieving their sustainability are to understand and anticipate the forces of change that shape forested ecosystems. Ultimately, sustainability requires that society manage change. Today's actions will influence whether and to what degree future generations will continue to benefit from the unique, inherent values of southern forests.

This Assessment has taken steps toward a fuller understanding of forest conditions and potential for their change by (1) identifying the forces of change that continue to reshape forests, (2) describing current resource conditions and their possible futures, and (3) highlighting where additional information is needed to fully identify and deal with concerns and opportunities. The findings of this Assessment have led us to some broad observations about the status and possible future of southern forests.



B. Lea.

**Several forces are affecting the condition of southern forests**—The South is an economically, culturally, and ecologically complex region, and multiple forces of change are simultaneously affecting forest conditions. Timber harvesting and management and land use changes into and out of forest cover influence forest area, structure, biodiversity, and water quality. Other human influences, such as atmospheric pollution, exclusion of fire from fire-dependent communities, and the introduction of nonnative plants, diseases, and insects continue to reshape the composition, productivity, and ecological function of forests. Such influences are pervasive and difficult to predict and manage. All of these forces interact in their effects and will play out differently in different parts of

91  
What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the human

structure of habitats? ■ What are the projected future access on? ■ What are the impacts on animals? ■ How have human activities in the South and how will they affect the structure and composition of forests? ■ How have they influenced the current forest? ■ What are the future owners to the forest? ■ How are forests formed? ■ What are the employment? ■ What are the forest commodity? ■ How do forests affect the quality of the history, and the future of the forest? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Discussion

the region. As a result, the extent, structure, and health of forests of the South are changing and will continue to change in the future.

**Urbanization has a substantial impact on the extent, condition, and health of forests**—Among forces of change, urbanization will have the most direct, immediate, and permanent effects on the extent, condition, and health of forests. While urban uses currently represent a small share of land in the South, they are expanding rapidly. Forecast models predict that about 12 million acres of southern forests will be urbanized between 1992 and 2020. Nineteen million acres of forest are forecast to be developed between 2020 and 2040. In addition, population growth in rural areas means that more forests are increasingly influenced by human presence. In these areas remnant forests are becoming more fragmented. An important and pervasive direct result of urbanization of southern forests will be increasing limitations on forest management options, such as prescribed burning, that are necessary to maintain productive and healthy forests.

**Population is growing, and the social context is changing**—From 1980 to 2000, total population increased at a higher rate in the South than in the Nation. Through the 1980s, population growth in the South was focused primarily in urban areas. Many rural areas experienced population losses. Since then, populations increased in nearly all of the South's counties, expanding the interface between people and forests.

Access to recreation opportunities is becoming scarce on private land.



USDA Forest Service

The demographic profile of the region has changed toward a more urban population. These demographic changes are reflected in attitudes and values held about the region's forests. Public values about forests vary among sectors of the population and include both commodity and biocentric views.

In urban areas and at their periphery, certain forest benefits are becoming increasingly scarce. Among these are opportunities for forest recreation. While the demand for recreation will increase as the population grows, recreational access to private land is expected to continue to decrease. As a result, congestion and competition between recreation user groups for access to and use of the region's public forests will increase.



High-intensity management can increase yields by 65 to 100 percent, but can result in varying ecological changes.

**Total forest area within the South is forecast to remain stable, but subregional and compositional changes will continue**—The South has rebounded from widespread deforestation of the early 1900s to become a heavily forested region. While the total area of forest has remained relatively constant over the past 30 years, 1 to 2 percent of forest land moved into or out of forest cover each year. We forecast little change in the total area of forests between 1995 and 2040, as losses of forests to urban uses are expected to be offset by conversions of agricultural land to forest. Urban development is forecast to be concentrated in the eastern part of the region and conversion of agricultural land to forest cover in the west, resulting in an overall westward shift in forest area as well changes in shares of forest types. These shifts in forest area and composition will alter the region's forests in ways that could be significant in affected areas. For example, loss and fragmentation of forests in some areas and an increasing share of pine plantations in others could have important localized economic and ecological implications.

**Timber production is forecast to expand but not deplete forest inventories below present levels**—While the total area of forest land has remained relatively stable and harvests have expanded since the 1970s, the timber inventory on these forests has increased by more than 70 percent. Softwood inventories leveled off in the 1990s, but recent inventories and model forecasts indicate that they will expand as new and anticipated pine plantations grow to maturity. Hardwood

inventories continued to increase through the 1990s, but at a decreasing rate. A region-wide trend of increasing removals relative to net hardwood growth is forecast to continue, resulting in the total inventory of hardwood forests peaking in 2025, then declining to about current inventory levels in 2040. While region-wide removals are forecast to exceed growth in 2025, this occurs at least 10 years earlier in four States. As with softwoods, additional investment in hardwood management could increase future growth and inventories of these forests, but this response has not yet been observed.

**Investment in pine plantations is forecast to continue to expand to meet increased softwood demand, resulting in some changes to the ecological characteristics of southern forests**—Historically, private landowners in the South have responded to rising softwood timber prices by investing in tree planting and more intensive management. The result has been an increase in the area of pine plantations in the South, from about 2 million acres in 1952 to 32 million acres in 1999. Forecasting models predict that pine plantation acreage will



USDA Forest Service

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the history, status, and projected future of aquatic habitats and species in the South?

southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

increase to 54 million acres in 2040. These new pine plantations, which will be derived from the afforestation of agricultural lands and conversion of hardwood, natural pine, and mixed pine/hardwood forests, enhance softwood timber productivity and concentrate timber harvesting on fewer acres than would otherwise be necessary to meet demand. For example, plantation forests accounted for 15 percent of timberland and 12 percent of total growing stock volume in the 1990s, but 43 percent of softwood net annual growth and 35 percent of annual softwood removals (chapter 16). Increased pine plantation acreage could also result in varying ecological changes, depending on stand origin and management. For example, young planted pine stands provide

early successional habitats within which many species thrive. Subsequent management activities, however, largely determine plant diversity and habitat structure. While these dynamics have been studied at the forest stand level, they are not well understood at a broader landscape scale.

**Changing land use and harvest patterns will have important impacts on people**—Land use and forest management changes can influence people in a variety of ways. Historically, the southern economy has been inextricably tied to various uses of its land base. The wood products industry, for example, currently accounts for about 6 percent of regional employment and 8 percent of income. Forecasts of increasing timber harvests imply more jobs in the wood products sector, especially outside the traditional core timber production areas. Forests also contribute to the quality of life by providing recreation opportunities, visual backdrops, and a variety of environmental amenities. Because people derive value from the landscape condition in which they live, abrupt changes in its condition, such as when timber harvesting is increased in areas where it had not been common in recent years, or when urban expansion occurs, can lead to costs for some people as others benefit.

In such areas, the values of green space and large remnant forests will likely increase. Whatever the cause, the variety of effects of forest changes on local communities is likely to continue to result in controversy and an increase in local regulation of land uses and forest treatments.

Tom Brown City Park in Tallahassee, FL.



B. Lea



# Southern Forest Resource Assessment

The spruce-fir community has high ecological value and high vulnerability to human-caused disturbances.

**Southern forests have proven resilient, but some components are scarce and therefore vulnerable to change—**Through the 20<sup>th</sup> century, the South has recovered from a largely cutover, exhausted, eroded condition to become one of the most productive and biologically diverse forest regions in the world. However, the presence of numerous increasingly rare forest communities and imperiled aquatic and terrestrial animal species are reasons for concern. Such forest communities include certain wetlands types, longleaf pine ecosystems, old-growth forests, and spruce-fir forests. Added to the 132 terrestrial species of conservation concern are numerous species of amphibians, fish, and other aquatic species that are either critically imperiled or vulnerable to extinction.

Checkered madtom, an uncommon fish species found on the upper White River drainage in Arkansas.



W. Haag



All of these communities and species are likely to continue being adversely affected by multiple forces of change. Protection and restoration efforts, already underway in some areas, provide some means of addressing these changes. Ultimately, with a few exceptions, their future lies largely in the hands of private forest owners who own the vast majority of forest communities and habitat.

**Scarce forest types have high ecological value**—To borrow the adage from economics, scarcity defines value. The rare forest communities in the South (above) have especially high ecological value. Thus, much consideration of biodiversity is focused on a relatively small share of the forest landscape. With the exception of old-growth and spruce-fir communities, these rare communities are largely on private land.

## Discussion

95

95

supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

In the urbanizing areas of the South, unfragmented forest cover is becoming increasingly scarce, especially in the Piedmont. In these areas, the value of residual forest cover is increasing, especially as sources of outdoor recreation and as habitat for certain wildlife species. For area-sensitive wildlife species, large contiguous blocks of forest become especially valuable as refuges in areas fragmented by urbanization or other forest disturbances. In these areas, public forests provide stable blocks of contiguous forest cover, thus the conservation value of this public land, which is especially scarce in the rapidly urbanizing Piedmont and Coastal Plain ecological regions, is very high and will increase in the future.

---

## Subregions of Concern

---

We examined the spatial distribution of the various forces of change described in “Forces of Change” and the implications of change described in “Conditions of Southern Forests” to identify broad areas where changes may have substantial impacts. This was intended to identify broad subregions of concern, not to be an exhaustive review of impacts. We recognize that there are likely several smaller areas that are seriously impacted by anticipated changes.

**Land markets**—Forest losses are forecast to be 5 percent or more of land area in six ecological sections (chapter 6): 8 percent in the Southern Appalachian Piedmont; 7 percent in Southern Ridge and Valley; and 5 percent in the Blue Ridge Mountains, Florida Coastal Lowlands, Central Ridge and Valley, and Atlantic Coastal Flatlands.

**Timber markets**—Forecasts of timber management indicate that plantation growth as well as area of plantations will be most heavily concentrated in the Outer Coastal Plain, including Atlantic Coastal Flatlands, Lower Coastal Plains and Flatwoods, and Florida Coastal Lowlands (chapter 13). Loss of other (nonplanted) forest types will be highest in Florida (58 percent).



**Biotic factors**—Many native and nonnative organisms have wide distribution in the South. Several nonnative organisms, especially newly introduced ones, are spatially focused with many moving from the North. Gypsy Moth, oak decline, dogwood anthracnose, beech bark disease, and butternut disease are generally focused in the Blue Ridge Mountains, Cumberland Mountains, Cumberland Plateau, and Ridge and Valley ecological sections. Hemlock and balsam woolly adelgids are causing substantial mortality in the Blue Ridge Mountains.

**Physical factors**—The effects of most physical factors described in this report—such as ozone pollution, climate change, and fire—are widely spread across the South. The major exception is acid deposition, which has negative impacts concentrated in the Blue Ridge Mountains.

These forces of change and their potential implications for forest systems are especially focused in four areas of the South.

**Southern Appalachians**—This region will be influenced by a combination of human, biological, and physical factors over the next two decades. Population growth and land use changes will increase the human presence in many forests. Forest-based recreation demands are focused on the Southern Appalachians, and increased competition between recreation user groups is anticipated. A complex of forest health issues is also affecting all forest types in this region and has the potential to restructure forest ecosystems.

■ The spruce-fir forest community is in decline because of the balsam woolly adelgid, a nonnative insect that kills high-elevation firs, combined with acid deposition and ozone pollution. Here is the most extreme case of ecological decline in the South.

■ Upland hardwood types are also subject to changes from several sources. Oak decline combined with gypsy moth infestations could soon reshape forest structure by reducing

The Southern Appalachians are experiencing increases in recreation demands, such as this spot on the Pisgah National Forest in North Carolina.



USDA Forest Service

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do land uses influence the quality of forested land? ■ What are the history, status and trends of forest practices in the South? ■ How are new technologies and operations influencing forest management and the resultant status and projected future of forests? ■ What are the history, status, and projected future of biological agents such as insects and disease? ■ How have abiotic factors, environmental stressors such as climate change, influenced the overall health of the South's forests, and what are the likely future effects? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management practices influenced aquatic habitat, and what are the likely future effects in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Discussion

Kudzu is one of the nonnative plants that are combining with fragmentation and increased human presence to alter the ecology of forests.

oaks in the overstory. In addition, dogwood anthracnose, butternut canker, and beech bark disease will greatly reduce the distribution of their respective host trees in much of the area. Loss of these tree species along with oaks will reduce the production of both hard and soft mast and therefore impact mast-dependent wildlife species.

■ The hemlock woolly adelgid kills both the eastern and the Carolina hemlock and is currently moving down the Blue Ridge from the Shenandoah Valley. While they occupy a narrow range of sites, hemlocks influence stream microclimate in headwater reaches, so loss of this species can have disproportionate influence on the quality of water in the region. Because the Southern Appalachians are headwater areas for several developing metropolitan areas in the Piedmont, changes in water quality and water production could have important economic implications.

**Piedmont**—Forecasts of land use change suggest that the Piedmont, from Virginia to Georgia, will experience the greatest loss of forest area among the ecological sections in the South. Already this heavily forested region has a very low ratio of interior forest to total forest, indicating a high degree of forest fragmentation. This fragmentation is likely to continue as the populations of urban counties and interspersed rural counties continue to grow. As a result, wildlife habitats will be altered for certain key bird species including Neotropical migrants. Fragmentation, combined with invasive nonnative plants and an increased human presence, will tend to alter the



R. Kindlund

Growing populations and declining forest area will mean recreation scarcity for city dwellers.

USDA Forest Service





ecological values of forests in this region. Because populations will grow and forest area will decline, we also expect an increasing scarcity of forest-based recreational opportunities for city dwellers.

**Lower Atlantic and Gulf Coastal Plains**—Coastal flatwoods areas are also forecast to lose large shares of forest to urban development. Forest loss combined with intensified forest management could have cumulative negative effects on coastal wetlands through direct wetland loss and modification of hydrological regimes. The flatwoods are one of two areas with the highest concentration of endangered animal and plant species in the South. They contain many imperiled amphibians, crustaceans, and reptiles.

**Florida Panhandle**—This area of coastal flatwoods has especially high concentrations of critically imperiled species and forces of change. In the Panhandle, we anticipate a rapid increase in population and development spreading from central Florida. Intensive forest management and agricultural uses already dominate the rural landscape. This area is a hot spot for imperiled species, especially aquatic species. High rates of species endemism, especially among amphibians, suggest that wetlands and other wet habitats in this area have very high ecological value and that local actions could have far-reaching implications for species persistence.

H. Riekerk



Development is expected to spread from central Florida into the Florida Panhandle.

## Discussion

99

What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the expanding human population and infrastructure demands on life and their habitats? ■ What are the historical and projected future management and access on forests in the South? ■ What are the attitudes toward forest management, and how have they changed in the South and in the future affect the attitudes toward forests? ■ How do current forest landowners to manage land and how are forest objectives formed? ■ What roles do forests play in employment in the South? ■ What are the demands for forest products and other noncommodity products in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of population, urbanization, and development on wildlife? ■ What are the historical and projected impacts of forest management on terrestrial ecosystems? ■ What conditions will be needed for species associations to persist? ■ How have land uses changed in the area of forests? ■ What are the values of southern forests and their management? ■ How have they changed over time? ■ How do they differ by demographic? ■ How do current policies, regulations, and forest resources and management affect them? ■ What motivates private landowners to manage their forests? ■ How do they manage them? ■ What role do forests play in the local economies and the supplies of agricultural products, recreation and uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

## Discussion



Georgia Forestry Commission

## Implications for Ongoing Programs

**Monitoring**—The crux of sustainability is to understand change and respond to it. It is, therefore, imperative to have timely data with which to gauge changes in forest conditions. As the pace of change has quickened in the South, so has the standard for timeliness. Forest surveys were originally designed to track variables that changed relatively slowly. Development has quickened, harvests have doubled over the

Delivery of forestry assistance will become more important than in the past.

past 30 years, and planted forests have grown rapidly. More timely data, therefore, are needed. When fully implemented, ongoing changes from periodic to continuous forest inventories conducted by the Forest Service in partnership with Southern States will address this issue.

More timely, consistent, and comprehensive data at appropriate scales also are needed for monitoring water quality, wetland modification and loss, and wetland restoration.

**Delivery of forestry assistance**—The changing demographics of forest landowners suggest changing preferences and management objectives for private forests. Many private tracts are in the wildland-urban interface. It seems clear that nonindustrial private forest landowners, especially in the urbanizing eastern portion of the region, will need a broad range of silvicultural options and assistance now and in the future.

It is also likely that with increasingly intensive management necessary to meet expected timber demands in an increasingly regulatory climate, landowner assistance will need to increase the focus on protecting and enhancing nontimber forest resources such as water quality and terrestrial and aquatic habitats.



Public land is under increasing pressure to provide more recreation opportunities . . .



B. Lea

. . . requiring innovative management to reduce competition and mitigate damage to resources.

**Public land**—Demands for forest-based recreation opportunities are expanding rapidly. Private land is becoming less accessible for these kinds of activities, so public land is coming under increasing pressure to supply a broad variety of recreation opportunities. Innovative management is needed to deal with increased recreation, to reduce competition between recreation groups, and to mitigate resource damages.

In some parts of the South, public land provides islands of interior forest habitat. These habitats have very high and increasing ecological value as refuges for rare species.



USDA Forest Service

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

Discussion

Knowledge Gaps and Scientific Uncertainties

As with any endeavor of this scope, an assessment of knowledge identifies the extent of our ignorance. Available information has allowed us to identify several emerging issues about the sustainability of southern forests, but additional information is needed to refine understanding and more clearly identify problems and solutions. Each chapter in the Technical Report identifies key uncertainties in specific topic areas. The following are some key issues that cut across the various topic areas.

**Expanding populations and impacts on ecosystems—**More heavily populated rural and urban landscapes will impact wildlife, water, and other benefits derived from forested ecosystems in the South. Additional information is needed to reduce uncertainties regarding: (1) forecasts of how and where these changes might occur, (2) how human population density influences forest ecosystems and options for their management, and (3) how development can be designed to promote forest sustainability.

**Markets, management, and values—**Because private landowners control most southern forests, forest conditions are determined by private management choices. These choices are heavily influenced by markets for forest goods and services and by other values derived from forests. A full accounting and understanding of how values are formed and how decisions are made is crucial for clarifying how forest uses and the flow of benefits will change in the future. Additional work in this area is needed to refine methods for forecasting change in forest area and broad forest types.

**Forest productivity—**The productivity of forest ecosystems is a key factor in determining land allocation, forest use, and ultimately forest conditions across the South. Productivity extends beyond timber production to include the provision of wildlife, clean water, and other benefits of forests, and is influenced to uncertain degrees by several forces of change.

**Forecasting ecological changes—**This Assessment has highlighted the multiple forces of change at work in the South's forests. Yet tools are not available for: (1) forecasting the implications of these multiple, interacting changes on the area, structure, and function of southern forest ecosystems, and (2) fully understanding the impacts on values that are derived from these systems. Such tools would help identify emerging scarcities within the region.



**Analysis at landscape and regional scales**—Science and management conducted at these broad scales are relatively new endeavors. Most forest research has been conducted at very fine scales, often without the information needed to develop implications at broader scales. When the scale at which the science is conducted does not match the questions that are being asked, answers are often incomplete.

**Fire ecology and management**—Elimination of natural fire cycles is one of the most substantial alterations imposed by humans on the forested ecosystems of the South. Uncertainties exist regarding: (1) the role of fire in specific ecotypes, and (2) strategies for effectively and safely reintroducing fire into forest ecosystems.

**Pine plantations and ecosystem functions**—Some portions of the South will see increased concentrations of pine plantations. Landscape-level ecological implications of increased pine plantations are uncertain. Additional information on the wildlife implications of expanding pine plantations is needed, especially in the Coastal Plain of Georgia, Alabama, Florida, and Mississippi.

**Forest management approaches**—This Assessment has described an increasingly complex environment for conducting forest management and suggests a need for a broader array of management strategies. New management approaches are especially needed for managing forests in wildland-urban interface areas.



Global change research in North Carolina.

R. Kindlund

■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and how are their management objectives formed? ■ What role do forests play in employment and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other noncommodity uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the history, status and projected future demands for and supplies of wood products in the South? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

**Wear, David N.; Greis, John G.** Southern forest resource assessment: summary report. Gen. Tech. Rep. SRS-54. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 103 p.

The Southern Forest Resource Assessment (SFRA) provides a comprehensive analysis of the history, status, and likely future of forests in the U.S. South. This report draws together and synthesizes the detailed findings contained in the SFRA Technical Report (General Technical Report SRS-53). The mechanisms of several forces of change influencing southern forests and their effects on social systems, terrestrial and aquatic ecosystems, and forest health are described. Several broad findings regarding the future of southern forests and subregions of conservation concern are identified.

**Keywords:** Integrated assessment, forest sustainability, conservation.

The USDA prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, political beliefs, sexual orientation, or marital or familial status (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity employer.



*Printed on recycled paper*



■ What are the history, status, and projected future of terrestrial wildlife habitat types and species in the South? ■ What are the history, status and projected future of native plant communities in the South? ■ What are the likely effects of expanding human populations, urbanization and infrastructure development on wildlife and their habitats? ■ What are the historical and projected future impacts of forest management and access on terrestrial ecosystems in the South? ■ What conditions will be needed to maintain animal species associations in the South? ■ How have land uses changed in the South and how might changes in the future affect the area of forests? ■ What are the attitudes and values of southern residents toward forests and their management, and how have they changed over time, and do they differ by demographic groups? ■ How do current policies, regulations, and laws affect forest resources and their management? ■ What motivates private forest landowners to manage their forest land and what are their management objectives? ■ What role do forests play in the health and local economies in the South? ■ What are the supplies of and demands for forest-based recreation and other non-timber uses of forests in the South? ■ How do forests and their uses influence the quality of life in the South? ■ What are the status and projected future demands for supplies of wood products? ■ What are the status and trends of forest management practices in the South? ■ How might existing and new technologies influence forest operations and the resultant conditions of forests? ■ What are the history, status and projected future of southern forests? ■ How have biological agents including insects and disease influenced the overall health of the South's forests and how will they likely affect it in the future? ■ How have abiotic factors, including environmental stressors such as air pollution, influenced the overall health of the South's forests, and what are future effects likely to be? ■ What are the history, status, and likely future of water quality in southern forested watersheds? ■ What are the history, status, and likely future of forested wetlands in the South? ■ How have forest management activities and other forest uses influenced water quality, aquatic habitat, and designated uses in forested watersheds? ■ What are the implementation rates and effectiveness of BMPs in the South? ■ What are the history, status, and likely future of aquatic habitats and species in the South?

USDA Forest Service  
Environmental Protection Agency  
U.S. Fish & Wildlife Service  
Tennessee Valley Authority

In collaboration with the Southern  
Group of State Foresters and the  
Southeastern Association of Fish  
and Wildlife Agencies

